



US00D455124S

(12) **United States Design Patent**
Miya et al.

(10) **Patent No.:** **US D455,124 S**

(45) **Date of Patent:** **** Apr. 2, 2002**

(54) **ELECTRICAL CONNECTOR**

D435,245 S * 12/2000 Hwang D13/147

(75) Inventors: **Takuro Miya; Hiroyuki Matsuoka,**
both of Sagamihara (JP)

* cited by examiner

Primary Examiner—Joel Sincavage

(73) Assignee: **3M Innovative Properties Company,**
St. Paul, MN (US)

(74) *Attorney, Agent, or Firm*—Yen Tong Florczak

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for an electrical connector, as shown and described.

(21) Appl. No.: **29/121,290**

DESCRIPTION

(22) Filed: **Apr. 4, 2000**

The present Article relates to a male connector of a pair of connectors and comprises signal contacts and power supply contacts, the power supply contacts forming plugs.

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/147**

FIG. 1 is a front view of an electrical connector showing my new design;

(58) **Field of Search** D13/146, 147;
439/108, 607, 608, 677-681

FIG. 2 is a top plan view thereof;

FIG. 3 is a rear view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS



- 5,885,088 A * 3/1999 Brennan et al. 439/680
- D412,700 S * 8/1999 Gardner et al. D13/147
- D416,539 S * 11/1999 Narumo et al. D13/147
- D422,561 S * 4/2000 Wu et al. D13/147

FIG. 4 is a right side view thereof; and,

FIG. 5 is a left side view thereof.

The broken lines throughout the drawing figures are included for the purpose of illustrating portions of the connector that form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5