



US00D455330S

(12) **United States Design Patent**  
**Gilbert et al.**

(10) **Patent No.:** **US D455,330 S**

(45) **Date of Patent:** **\*\* Apr. 9, 2002**

(54) **BOLT WITH FACETTED HEAD**

(75) Inventors: **Stanley Gilbert**, Angola; **William Neely**, Fremont; **Brandon Walker**, Fremont; **Rodney Ridenour**, Fremont, all of IN (US)

(73) Assignee: **TransGuard Industries, Inc.**, Angola, IN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/147,309**

(22) Filed: **Aug. 27, 2001**

(51) **LOC (7) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/331; D8/387**

(58) **Field of Search** ..... **D8/331, 382, 387, D8/391, 393; 292/2, 237; 411/500, 508-511, 455, 378-382, 913-916**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D31,749 S	*	10/1899	North	.....	D8/391
D255,541 S	*	6/1980	Simone et al.	.....	D8/387
4,802,700 A	*	2/1989	Stevenson et al.	.....	292/327
5,127,687 A	*	7/1992	Guiler	.....	292/327
D336,844 S	*	6/1993	Hozapfel et al.	.....	D8/387
5,697,653 A	*	12/1997	Aigner et al.	.....	292/2
5,732,989 A	*	3/1998	Stevenson et al.	.....	292/327
D401,135 S	*	11/1998	Willert	.....	D8/387
6,265,973 B1	*	7/2001	Brammall et al.	.....	340/568.1

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Clare E. Hefflin

(74) *Attorney, Agent, or Firm*—Carella Byrne Bain Gilfillan Cecchi et al; John G. Gilfillan, III; William Squire

(57) **CLAIM**

The ornamental design of a bolt with faceted head, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view showing the new design;

FIG. 2 is a rear elevation view thereof;  
 FIG. 3 is a left side elevation view thereof;  
 FIG. 4 is a right side elevation view thereof;  
 FIG. 5 is top plan view thereof;  
 FIG. 6 is bottom plan view thereof; and  
 FIG. 7 is a top isometric view thereof;  
 FIGS. 8–11 are views of a second embodiment wherein:  
 FIG. 8 is a representative side elevation view thereof;  
 FIG. 9 is a top plan view thereof;  
 FIG. 10 is a bottom plan view thereof; and  
 FIG. 11 is a top isometric view thereof;  
 FIGS. 12–18 are views of a third embodiment wherein:  
 FIG. 12 is a front elevation view thereof;  
 FIG. 13 is a rear elevation view thereof;  
 FIG. 14 is a left side elevation view thereof;  
 FIG. 15 is a right side elevation view thereof;  
 FIG. 16 is a top plan view thereof;  
 FIG. 17 is a bottom plan view thereof; and  
 FIG. 18 is a top isometric view thereof;  
 FIGS. 19–23 are views of a fourth embodiment wherein:  
 FIG. 19 is a front elevation view, the rear view being a mirror image;  
 FIG. 20 is a left side elevation view, the right side view being a mirror image;  
 FIG. 21 is a top plan view thereof;  
 FIG. 22 is a bottom plan view thereof; and  
 FIG. 23 is a top isometric view thereof;  
 FIGS. 24–30 are views of a fifth embodiment wherein:  
 FIG. 24 is a front elevation view thereof;  
 FIG. 25 is a rear elevation view thereof;  
 FIG. 26 is a left side elevation view thereof;  
 FIG. 27 is a right side elevation view thereof;  
 FIG. 28 is a top plan view thereof; and  
 FIG. 29 is a bottom plan view thereof; and  
 FIG. 30 is a top isometric view thereof;  
 FIGS. 31–34 are views of a sixth embodiment wherein:  
 FIG. 31 is a representative front elevation view which is a mirror image of the rear, left and right side elevation views;  
 FIG. 32 is a top plan view thereof;  
 FIG. 33 is a bottom plan view thereof; and  
 FIG. 34 is a top isometric view thereof;  
 FIGS. 35–41 are views of a seventh embodiment wherein:  
 FIG. 35 is a front elevation view thereof  
 FIG. 36 is a rear elevation view thereof;




FIG. 37 is a right side elevation view thereof;  
FIG. 38 is a left side elevation view thereof;  
FIG. 39 is a top plan view thereof;  
FIG. 40 is a bottom plan view thereof; and  
FIG. 41 is a top isometric view thereof;  
FIGS. 42-46 are views of an eighth embodiment wherein;  
FIG. 42 is a front elevation view thereof, the rear elevation view being a mirror image of the front elevation view;

FIG. 43 is a right side elevation view, the left side elevation view being a mirror image of the right side elevation view;  
FIG. 44 is a top plan view thereof;  
FIG. 45 is a bottom plan view thereof; and  
FIG. 46 is a top isometric view thereof.

**1 Claim, 8 Drawing Sheets**

FIG. 1




FIG. 2



FIG. 7




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 8




FIG. 11




FIG. 9



FIG. 10



FIG. 12




FIG. 13





FIG. 14




FIG. 15




FIG. 16



FIG. 17





FIG. 19




FIG. 23




FIG. 20




FIG. 22



FIG. 21




FIG. 24




FIG. 25



FIG. 30




FIG. 26




FIG. 27



FIG. 28




FIG. 29



FIG. 31




FIG. 34




FIG. 32




FIG. 33





FIG. 35




FIG. 36




FIG. 41




FIG. 37




FIG. 38




FIG. 39



FIG. 40



FIG. 42




FIG. 46




FIG. 44



FIG. 43




FIG. 45

