



US00D455338S

(12) **United States Design Patent**  
**Moser**

(10) **Patent No.:** **US D455,338 S**

(45) **Date of Patent:** **\*\* Apr. 9, 2002**

(54) **BOLT**

(76) **Inventor:** **Scott Moser**, 800 Silverado St. Suite 324, La Jolla, CA (US) 92037

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/139,090**

(22) **Filed:** **Mar. 26, 2001**

(51) **LOC (7) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/387**

(58) **Field of Search** ..... D8/382, 385, 386, D8/387, 392, 393, 391; 411/378, 482, 407, 402, 410, 84, 85

5,222,851 A \* 6/1993 Dickerson ..... 411/397  
D376,713 S \* 12/1996 Kelso ..... D6/496  
5,672,178 A \* 9/1997 Petersen ..... 606/75

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Welsh & Flaxman LLC

(57) **CLAIM**

The ornamental design for a bolt, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of a bolt showing my new design; the rear elevation view being a mirror image.

FIG. 2 is a side elevation view thereof; the opposite side elevation view being a mirror image.

FIG. 3 is a top elevation view thereof; and,



FIG. 4 is a bottom elevation view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,454,359 A \* 5/1923 Werenskiold ..... 439/813  
3,019,686 A \* 2/1962 Behrle ..... D8/391  
3,204,586 A \* 9/1965 Marsh, Jr. .... D8/387  
D207,123 S \* 3/1967 Flood ..... D8/387

**1 Claim, 2 Drawing Sheets**






FIG. 1





FIG. 2

**FIG. 4**



**FIG. 3**

