



US00D455380S

(12) **United States Design Patent**
Traulle

(10) **Patent No.:** **US D455,380 S**

(45) **Date of Patent:** **** Apr. 9, 2002**

(54) **TREAD OF A TIRE**

(75) Inventor: **Florian Traulle**, Durtol (FR)

(73) Assignee: **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/134,832**

(22) Filed: **Dec. 28, 2000**

(30) **Foreign Application Priority Data**

Jul. 3, 2000 (FR) 00 3985

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/147**

(58) **Field of Search** D12/134-152;
152/209.1, 209.3, 209.9, 209.13, 209.28,
902, 903, 904

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,238,038	A *	8/1993	Glover et al.	152/903
D398,888	S *	9/1998	De Barys	D12/146
D409,123	S *	5/1999	Heinen et al.	D12/151
6,250,354	B1 *	6/2001	Kawai	152/903
D444,427	S *	7/2001	Heinen	D12/146

FOREIGN PATENT DOCUMENTS

DE	M9508884	9/1996
DE	M9602404	12/1996
JP	922914	4/1995
JP	966760	10/1996
JP	1010229	5/1998

OTHER PUBLICATIONS

Goodyear Invicta GS Tire, 1999 Tread Design Guide, Jan. 1999, p. 37. 1/5.*

Nokian Hakkapeliitta NRW Tire, 1999 Tread Design Guide, Jan. 1999, p. 55. 3/1.*

Toyo Observe GP4 Tire, 1999 Tread Design Guide, Jan. 1999, p. 73. 1/3.*

Woosung Euro-Win 600, 650, 700 Tire, 1999 Tread Design Guide, Jan. 1999, p. 77. 2/1.*

Photo of "Cooper Cobra ZHP" model from Tire Design Guide, 1999, p. 21.

Photo of "Kumho Power Grip 749" and "Kumho Power Grip 749P" models from Tire Design Guide, 1999, p. 43.

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Baker Botts L.L.P.

(57) **CLAIM**

The ornamental design for a tread of a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tread of a tire of the present invention, it being understood that the pattern is repeated uniformly throughout the circumference of the tread;


FIG. 2 is an elevational view of the tread of the tire tread shown in FIG. 1; and,

FIG. 3 is a side view of the tread shown in FIG. 1.

The broken lines showing the inner bead and sidewall are for illustrative purposes only and form no part of the claimed design.

In the drawings, the dark lined surface shading represents the recessed portion of the tread grooves, having a depth as best shown at the top and bottom edges of FIG. 2.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3