



US00D455394S

(12) **United States Design Patent** (10) **Patent No.:** **US D455,394 S**
Lassan et al. (45) **Date of Patent:** **** Apr. 9, 2002**

(54) **TIRE TREAD**

(75) Inventors: **Timothy J. Lassan**, Kent; **Timothy F. Robinson**, North Canton; **Robert M. Sanetick**, Uniontown, all of OH (US)

(73) Assignee: **Bridgestone/Firestone North American Tire, LLC**, Nashville, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/134,186**

(22) Filed: **Dec. 15, 2000**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/586**

(58) **Field of Search** D12/580, 586, D12/587, 590, 592, 593, 594, 595, 596, 597, 598, 600, 601, 602, 603; 152/209.1, 209.9, 209.13, 209.18, 209.19, 209.27

(56) **References Cited**

U.S. PATENT DOCUMENTS

D345,723 S	4/1994	Guspodin et al.	D12/147
D350,099 S	8/1994	Manestar et al.	D12/147
5,361,816 A	11/1994	Hitzky et al.	152/209 R
D354,466 S	1/1995	Regallis et al.	D12/147
D355,152 S	2/1995	Brightwell et al.	D12/146
D362,213 S	* 9/1995	McKisson	D12/586
D370,879 S	6/1996	Manestar et al.	D12/147
D379,337 S	5/1997	Guspodin et al.	D12/147
D400,831 S	11/1998	Blankenship et al.	D12/147
D423,423 S	* 4/2000	Guspodin et al.	D12/586
D426,795 S	6/2000	Oliver et al.	D12/146
D445,370 S	* 7/2001	Allison	D12/586

OTHER PUBLICATIONS

Peerless Ambassador Tire, 2000 Tread Design Guide, Jan. 2000, p. 55. 3/2.*

Dunlop Grantrek TG35 Tire, 2000 Tread Design Guide, Jan. 2000, p. 88. 2/2.*

Peerless Force 4 A/S Tire, 2000 Tread Design Guide, Jan. 2000, p. 107. 2/1.*

Sears Goodyear Wrangler APT Tire, 2000 Tread Design Guide, Jan. 2000, p. 110/ 2/1.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Thomas R. Kingsbury; Michael Sand; John H. Hornickel

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The dark stippled surface shading represents the recessed portion of the tread grooves, having a depth as best shown in FIG. 2; the broken lines defining the tire sidewall and inner bead and the peripheral boundary between the tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4