



US00D455404S

(12) **United States Design Patent**
Owens et al.

(10) **Patent No.:** **US D455,404 S**

(45) **Date of Patent:** **** Apr. 9, 2002**

(54) **FLEXIBLE CORD**

(76) Inventors: **Norman L. Owens**, 3644 New Karleen Rd., Hephzibah, GA (US) 30815; **John D. Milton**, 1706 Sandalwood Dr., Augusta, GA (US) 30909

(**) Term: **14 Years**

(21) Appl. No.: **29/144,830**

(22) Filed: **Jul. 12, 2001**

(51) **LOC (7) Cl.** **13-03**

(52) **U.S. Cl.** **D13/153**

(58) **Field of Search** D13/153; 174/68.1,
174/254, 135; 439/501, 449, 445, 446,
447

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,593,950 A	7/1971	Tetzlaff
3,636,595 A	1/1972	Wines
3,749,818 A	7/1973	Jemison
3,808,382 A	4/1974	Blanch et al.

5,030,135 A	*	7/1991	Plesinger	439/447
5,334,044 A	*	8/1994	Falossi et al.	439/447 X
5,394,592 A		3/1995	Quick		
5,577,932 A		11/1996	Palmer		
RE35,820 E	*	6/1998	Guginsky	439/447
5,929,386 A		7/1999	Hornick		
6,139,354 A	*	10/2000	Broussard	439/447

* cited by examiner

Primary Examiner—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Donald R. Schoonover


(57) **CLAIM**

I claim the ornamental design for a flexible cord, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the flexible cord embodying the design of the present invention.
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a side elevational view thereof; and,
FIG. 5 is a top plan view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 4.




FIG. 3.




FIG. 5.