



US00D455457S

(12) **United States Design Patent**
Nakaji

(10) **Patent No.:** **US D455,457 S**

(45) **Date of Patent:** **** Apr. 9, 2002**

(54) **BINDER INSERT**

(75) **Inventor:** **Masaaki Nakaji, Osaka (JP)**

(73) **Assignee:** **Nakabayashi Co., Ltd. (JP)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/140,000**

(22) **Filed:** **Apr. 11, 2001**

(30) **Foreign Application Priority Data**

Oct. 19, 2000 (JP) 2000-029745

(51) **LOC (7) Cl.** **19-04**

(52) **U.S. Cl.** **D19/33**

(58) **Field of Search** D19/32, 33, 26,
D19/27; 40/405, 537, 661, 701, 726, 771,
772, 773, 774, 775, 776; 402/70, 73, 7,
79, 455; 281/15.1, 21.1, 38, 39, 40, 41,
22; 206/449, 778, 460, 569; 428/41.8, 203,
205

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,381,402 A * 5/1968 Ohfuji 40/772

3,736,685 A * 6/1973 Shibata 40/772
4,085,534 A * 4/1978 Eckstein et al. 40/405 X
D427,632 S * 7/2000 McNeil D19/33
6,139,209 A * 10/2000 Nicol 402/7

FOREIGN PATENT DOCUMENTS

JP S60-33020 10/1985
JP S61-12768 1/1986
JP 927782 3/1995

* cited by examiner

Primary Examiner—Paula A. Mortimer

(74) *Attorney, Agent, or Firm*—Thompson Hine LLP


(57) **CLAIM**

The ornamental design for a binder insert, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the binder insert;
FIG. 2 is a rear view of the binder insert of FIG. 1;
FIG. 3 is a right side view of the binder insert of FIG. 1;
FIG. 4 is a left side view of the binder insert of FIG. 1;
FIG. 5 is a top view of the binder insert of FIG. 1; and,
FIG. 6 is a bottom view of the binder insert of FIG. 1.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6