



US00D455639S

(12) **United States Design Patent**  
**McDaid et al.**

(10) **Patent No.:** **US D455,639 S**

(45) **Date of Patent:** **\*\* Apr. 16, 2002**

(54) **COMBINATION PADLOCK SHELL**

(75) Inventors: **Cornelius McDaid**, Randolph; **Jason A. Morris**, Malden, both of MA (US)

(73) Assignee: **Kryptonite Corporation**, Canton, MA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/137,128**

(22) Filed: **Feb. 13, 2001**

(51) **LOC (7) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/346**

(58) **Field of Search** ..... D8/343, 346; 70/51, 70/52, 54, 55, 56

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D379,059 S	*	5/1997	Turner	.....	D8/346
D406,045 S	*	2/1999	Turner	.....	D8/346
D446,441 S	*	8/2001	Brake	.....	D8/346

\* cited by examiner

*Primary Examiner*—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Morse, Altman & Martin

(57) **CLAIM**

The ornamental design for the combination padlock shell, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the combination padlock shell;

FIG. 2 is a back elevational view of the combination padlock shell;

FIG. 3 is a right side elevational view of the combination padlock shell;

FIG. 4 is a left side elevational view of the combination padlock shell;


FIG. 5 is a top plan view of the combination padlock shell;


FIG. 6 is a bottom plan view of the combination padlock shell; and,

FIG. 7 is an isometric view showing the combination padlock shell of our new design.


The distinguishing features of our new design for combination padlock shell reside in its detailing and configuration.

**1 Claim, 4 Drawing Sheets**





**FIG. 1**



**FIG. 2**




FIG. 3




FIG. 4




FIG. 5





FIG. 6



**FIG. 7**