



US00D455665S

(12) **United States Design Patent**
Schoenfish et al.

(10) **Patent No.:** **US D455,665 S**

(45) **Date of Patent:** **** Apr. 16, 2002**

(54) **FRONT PLATE FOR AN ELECTRONIC NAVIGATION INSTRUMENT**

(75) Inventors: **Brian G. Schoenfish**, Kansas City;
David Laverick, Overland Park, both
of KS (US)

(73) Assignee: **Garmin Ltd.** (KY)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/141,779**

(22) **Filed:** **May 11, 2001**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/74; D10/125**

(58) **Field of Search** **D10/65, 74, 123,**
D10/125; 361/394, 422, 784; 364/444,
495, 208.1, 450; 367/111, 88, 98, 908;
342/357, 419, 457; 343/878, 702

(56) **References Cited**

U.S. PATENT DOCUMENTS

D243,589 S	3/1977	Moore	D10/46
D244,434 S	5/1977	Moore	D10/46
D264,191 S	5/1982	Jondrow	D10/46
D273,471 S	4/1984	Overs	D10/46
D273,569 S	4/1984	Overs	D10/46
D273,570 S	4/1984	Overs	D10/46
D273,571 S	4/1984	Overs	D10/46
D273,574 S	4/1984	Overs	D10/46
D273,575 S	4/1984	Overs	D10/46
D274,890 S	7/1984	Wilbert et al.	D10/46
D275,264 S	8/1984	Wegener, II	D8/373
D275,450 S	9/1984	Wegener, II	D8/373
D278,690 S	5/1985	Steensland et al.	D10/46
D279,766 S	7/1985	Honda	D10/46

D286,384 S	10/1986	Grilk	D10/109
D289,265 S	4/1987	Wood et al.	D10/46
D293,735 S	1/1988	Ault	D3/38
D296,767 S	7/1988	Wood et al.	D10/46
D314,346 S	2/1991	Spencer et al.	D10/46
D325,880 S	5/1992	Havins	D10/80
D344,239 S	2/1994	Suggs	D10/65
D389,757 S	* 1/1998	Nishimura et al.	D10/65
D390,137 S	* 2/1998	Nishimura et al.	D10/65
D394,405 S	5/1998	Cummings et al.	D10/46
D400,450 S	11/1998	Cummings et al.	D10/46
D401,525 S	11/1998	Sone et al.	D10/116
D401,881 S	12/1998	Sone et al.	D10/116
D441,670 S	5/2001	Jackson et al.	D10/65
D442,924 S	5/2001	Dermikaelian et al.	D13/184
D445,043 S	* 7/2001	Bendinelli	D10/65
D447,708 S	* 9/2001	Fischer	D10/65

* cited by examiner

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Devon A. Rolf


(57) **CLAIM**

The ornamental design for a front plate for an electronic navigation instrument, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front plate for an electronic navigation instrument of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof. The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.