



US00D455743S

(12) **United States Design Patent**  
**Smith et al.**

(10) **Patent No.:** **US D455,743 S**

(45) **Date of Patent:** **\*\* Apr. 16, 2002**

(54) **PORTABLE COMPUTER**

(75) Inventors: **David L Smith**, Corvallis; **Cary J Hoffer**, Albany, both of OR (US);  
**Terry Teng**, San Jose, CA (US);  
**LaVonne L Frazier**, Corvallis, OR (US)

(73) Assignee: **Hewlett-Packard Company**, Palo Alto, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/143,333**

(22) Filed: **Jun. 12, 2001**

(51) **LOC (7) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/328; D14/318**

(58) **Field of Search** ..... **D14/315, 318, D14/322, 327, 328; D18/1, 2, 7; 235/145 A, 145 R; 341/22, 23; 345/104, 156, 168, 169, 173; 361/680-686**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D391,927 S \* 3/1998 Faranda et al. .... D14/318  
D402,968 S \* 12/1998 Wolff et al. .... D14/318  
D427,192 S \* 6/2000 Segawa et al. .... D14/318

\* cited by examiner

*Primary Examiner*—Freda Nunn

(74) *Attorney, Agent, or Firm*—Jeff D. Limon

(57) **CLAIM**

The ornamental design for a portable computer, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a portable computer showing our new design, where the top portion of the portable computer is in an open position;

FIG. 2 is a right side elevational view of the portable computer where the top portion of the portable computer is in a closed position;

FIG. 3 is a left side isometric view of the portable computer where the top portion of the portable computer is in a closed position;


FIG. 4 is a front elevational view of the portable computer where the top portion of the portable computer is in a closed position;

FIG. 5 is a front isometric view of the portable computer where the top portion of the portable computer is in a partially open position;

FIG. 6 is a rear elevational view of the portable computer where the top portion of the portable computer is in a closed position, and where a rear flap of the portable computer is in a closed position; and,

FIG. 7 is a rear elevational view of the portable computer where the top portion of the portable computer is in a closed position and where a rear flap of the portable computer is opened to expose interface connectors.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7