



US00D455818S

(12) **United States Design Patent**  
**Naoyuki**

(10) **Patent No.:** **US D455,818 S**

(45) **Date of Patent:** **\*\* Apr. 16, 2002**

(54) **OIL EXTRACTOR FOR VEHICLE ENGINES**

5,275,200 A 1/1994 Yamamoto  
5,493,660 A \* 2/1996 Kamezawa ..... 251/96

(75) Inventor: **Yamamoto Naoyuki, Miura-gun (JP)**

\* cited by examiner

(73) Assignee: **Fumoto Giken Co., Ltd. (JP)**

*Primary Examiner*—Robin V. Taylor

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Norris, McLaughlin, & Marcus

(21) Appl. No.: **29/134,847**

(57) **CLAIM**

(22) Filed: **Dec. 29, 2000**

The ornamental design for oil extractor for vehicle engines, as shown and described.

(30) **Foreign Application Priority Data**

Jul. 5, 2000 (JP) ..... 2000-018492

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **23-01**

FIG. 1 is a front elevational view of the design for oil extractor for vehicle engines;

(52) **U.S. Cl.** ..... **D23/245**

FIG. 2 is a rear elevational view thereof;

(58) **Field of Search** ..... D23/233–237,  
D23/244, 245; 251/96, 98, 288; 137/315.2,  
315.37

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,512,052 A \* 6/1950 Brown ..... 251/98  
D198,428 S \* 6/1964 Cordis et al. .... D23/245  
4,078,763 A 3/1978 Yamamoto


FIG. 7 is a sectional view taken on line A—A of FIG. 1;

FIG. 8 is a sectional view taken on line B—B of FIG. 4;


FIG. 9 is a top perspective view thereof; and,

FIG. 10 is an exploded perspective view thereof.


**1 Claim, 6 Drawing Sheets**




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*



*Fig. 8*



*Fig. 9*






Fig. 10