



US00D455856S

(12) **United States Design Patent** (10) **Patent No.:** **US D455,856 S**
De'Armond et al. (45) **Date of Patent:** **** Apr. 16, 2002**

(54) **LIGHTING FIXTURE**

D73,418 S 9/1927 Yokel
D77,958 S 3/1929 Helvey

(75) Inventors: **Robert De'Armond**, Temecula;
Rolando Hidalgo, Orange, both of CA
(US)

(List continued on next page.)

OTHER PUBLICATIONS

(73) Assignee: **Minka Lighting, Inc.**, Corona, CA
(US)

Designer's Fountain catalog one-eleven; (c)2000, p. 152,
items 2612 & 2622.*

(**) Term: **14 Years**

Designer's Fountain catalog one-eleven, (c)2000, p. 148
(all).*

(21) Appl. No.: **29/141,715**

U.S. application No. 29/141,714, De'Armond et al., filed
May 10, 2001.

(22) Filed: **May 10, 2001**

U.S. application No. 29/141,735, De'Armond et al., filed
May 10, 2001.

(51) **LOC (7) Cl.** **26-03**

Minka Lighting, Inc.; The Great Outdoors by Minka-Lavery
Two Thousand; Jun. 21, 2001; pp. 10, 11, 22, 23; U.S.A.

(52) **U.S. Cl.** **D26/92; D26/87**

Environmental Lighting for Architecture, Inc.; ELA Light-
ing Outdoor Products; pp. 18, 19; U.S.A.

(58) **Field of Search** D26/72-74, 81-87,
D26/92; 362/147, 432, 363, 367, 368

(56) **References Cited**

Primary Examiner—Alan P. Douglas

Assistant Examiner—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Jenkins & Gilchrist, P.C.

U.S. PATENT DOCUMENTS

(57) **CLAIM**

- RE2,678 E 7/1867 Williams et al.
- D36,029 S 8/1902 Haas
- D41,743 S 9/1911 Jones
- D50,160 S 1/1917 Barrows et al.
- D51,326 S 10/1917 Adam
- D60,005 S 12/1921 Adam
- D63,205 S 10/1923 Toensfeldt
- D63,615 S 12/1923 Crowell
- D63,985 S 2/1924 Walker
- D64,884 S 6/1924 Bakula
- D64,986 S 6/1924 Klein
- D65,085 S 7/1924 Walker
- D65,532 S 9/1924 Klein
- D66,190 S 12/1924 Jaeger
- D66,473 S 1/1925 Crowell
- D67,136 S 4/1925 Crowell
- D67,560 S 6/1925 Walker
- D68,090 S 9/1925 Czapeh
- D69,101 S 12/1925 Walker
- D69,865 S 4/1926 Whittle
- D70,108 S 5/1926 Gottlicher
- D70,352 S 6/1926 Wolter
- D72,714 S 5/1927 Lipschutz
- D72,842 S 6/1927 Klein

The ornamental design for the lighting fixture, as shown and
described.

DESCRIPTION

FIG. 1 is a side elevation view of the lighting fixture in
accordance with our design;

FIG. 2 is a top plan view of the lighting fixture in accordance
with our design;


FIG. 3 is a bottom plan view of the lighting fixture in
accordance with our design;

FIG. 4 is a front elevation view of the lighting fixture in
accordance with our design; and,

FIG. 5 illustrates the rear elevation view of the lamp housing
of the lighting fixture in accordance with our design taken
along Section 5—5 of FIG. 1.

The right and left elevation views are symmetrical. The rear
elevation of the backplate is unornamented and follows the
contours of the backplate as illustrated in FIGS. 1-4.

1 Claim, 3 Drawing Sheets



US D455,856 S

Page 2

U.S. PATENT DOCUMENTS

D81,452 S	6/1930	Osborn		D383,562 S	9/1997	Heiberg et al.	D26/85
D82,425 S	11/1930	Harris		D383,865 S	9/1997	Heiberg et al.	D26/87
D82,539 S	11/1930	Bohl		D403,464 S	12/1998	Fraile	D26/142
D84,660 S	7/1931	Shulman		D420,760 S	2/2000	Meck et al.	D26/87
D95,974 S	6/1935	McCann		D426,672 S	6/2000	De'Armond	D26/155
D159,423 S	7/1950	Kushner	D48/4	D426,914 S	6/2000	Jaspers-Fayer et al.	D26/155
D173,943 S	2/1955	Gamerdinger	D48/4	D427,721 S	7/2000	De'Armond	D26/155
D195,350 S	6/1963	Simkins	D48/4	D428,187 S	7/2000	De'Armond	D26/142
D199,144 S	9/1964	Daum	D48/31	D428,662 S	7/2000	Jaspers-Fayer et al.	D26/67
3,239,958 A	3/1966	Daum		D429,016 S	8/2000	Cohen	D26/67
D213,879 S	4/1969	Algoren	D8/3	D434,522 S	11/2000	De'Armond et al.	D26/155
D237,044 S	10/1975	Mori et al.	D8/9	D434,873 S	12/2000	Jaspers-Fayer et al.	D26/155
D277,933 S	3/1985	Valli	D8/350	D436,221 S	1/2001	Hidalgo	D26/152
D314,834 S	2/1991	Rottner	D26/87	D437,657 S	2/2001	De'Armond et al.	26/142
D333,531 S	2/1993	Rottner	D26/87	D439,362 S	3/2001	Berry	D26/87
D353,906 S	12/1994	Hsu	D26/87	D440,002 S	4/2001	Miranda	D26/87
D371,622 S	7/1996	Hsu	D26/87	D440,003 S	4/2001	Berry	D26/87
D374,499 S	10/1996	McDowell	D26/85	D446,335 S	8/2001	Cheong	D26/85

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5