

US00D455901S

# (12) United States Design Patent (10) Patent No.:

US D455,901 S \*\* Apr. 23, 2002 Snider (45) Date of Patent:

### DRILL HOLSTER FOR A WORKBELT

Gregory Scott Snider, Bel Air, MD Inventor:

(US)

Assignee: Black & Decker Inc., Newark, DE

(US)

14 Years Term:

Appl. No.: 29/146,966

Aug. 20, 2001 Filed:

### Related U.S. Application Data

(62)Division of application No. 29/127,246, filed on Aug. 2, 2000, now Pat. No. Des. 448,556.

LOC (7) Cl. ...... 03-01 (51)

U.S. Cl. D3/228

(58)D3/226, 222, 223; 224/901, 904, 236, 240,

673, 253

#### (56)**References Cited**

### U.S. PATENT DOCUMENTS

D409,831 S	*	5/1999	Lyles
D414,331 S	*	9/1999	Lichtenberger D3/228
6,085,952 A	*	7/2000	Garland 224/253
D437,998 S	*	2/2001	Williamson

<sup>\*</sup> cited by examiner

Primary Examiner—Catherine R. Oliver

(74) Attorney, Agent, or Firm—Harness, Dickey & Pierce, P.L.C.

#### (57)**CLAIM**

The ornamental design for a drill holster for a workbelt, as shown and described.

### **DESCRIPTION**

FIG. 1 is a front perspective view of a drill holster for a workbelt showing my new design;

FIG. 2 is a front view thereof (the broken line showing of a drill is for illustrative purposes and is not part of the claimed design);

FIG. 3 is a felt side view thereof (the right side view is a mirror image thereof);

FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front perspective view of a drill holster for a workbelt according to a second embodiment;

FIG. 8 is a front view thereof (the broken line showing of a drill is for illustrative purposes and is not part of the claimed design);


FIG. 9 is a left side view thereof (the right side view is a mirror image thereof);


FIG. 10 is a rear view thereof;


FIG. 11 is a top view thereof; and,

FIG. 12 is a bottom view thereof.

### 1 Claim, 4 Drawing Sheets











FIG 4

FIG 2








FIG 6




FIGII



FIGIO

FIG 8






FIG 12

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : Des. 455,901 S

DATED : April 23, 2002 INVENTOR(S) : Gregory Scott Snider

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title page, showing an Illustrative figure, should be deleted and substituted, therefore the attached title page.

Delete drawing sheet(s) 1-4 of 4, and substitute therefore the drawing sheet(s) consisting of Fig(s) 1-12 as shown on the attached pages.

Signed and Sealed this

Twentieth Day of May, 2003

JAMES E. ROGAN

Director of the United States Patent and Trademark Office

# (12) United States Design Patent (10) Patent No.:

Snider

\*\* Apr. 23, 2002 (45) Date of Patent:

US D455,901 S

## DRILL HOLSTER FOR A WORKBELT

Inventor: Gregory Scott Snider, Bel Air, MD (US)

Assignee: Black & Decker Inc., Newark, DE (73)(US)

14 Years Term:

(21) Appl. No.: 29/146,966

(22) Filed: Aug. 20, 2001

### Related U.S. Application Data

Division of application No. 29/127,246, filed on Aug. 2. 2000, now Pat. No. Des. 448,556.

LOC (7) Cl. ...... 03-01 (51)(52)

(58) D3/226, 222, 223; 224/901, 904, 236, 240, 673, 253

#### **References Cited** (56)

### U.S. PATENT DOCUMENTS

D409,831 S	; :	5/1999	Lyles D3/228
			Lichtenberger D3/228
6.085,952 A	*	7/2000	Garland 224/253
D437,998 S	<b>커</b> :	2/2001	Williamson

\* cited by examiner

Primary Examiner—Catherine R. Oliver

(74) Attorney, Agent, or Firm—Harness, Dickey & Pierce, P.L.C.

**(57)** 

#### CLAIM

The ornamental design for a drill holster for a workbelt, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view of a drill holster for a workbelt showing my new design;

FIG. 2 is a front view thereof (the broken line showing of a drill is for illustrative purposes and is not part of the claimed design);

FIG. 3 is a felt side view thereof (the right side view is a mirror image thereof);

FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front perspective view of a drill holster for a workbelt according to a second embodiment;

FIG. 8 is a front view thereof (the broken line showing of a drill is for illustrative purposes and is not part of the claimed design);


FIG. 9 is a left side view thereof (the right side view is a mirror image thereof);


FIG. 10 is a rear view thereof;


FIG. 11 is a top view thereof; and,

FIG. 12 is a bottom view thereof.

### 1 Claim, 4 Drawing Sheets











FIG 2










FIG 6


U.S. Patent

Sheet 3 of 4

Des 455,901 S








FIGIO

U.S. Patent

Sheet 4 of 4

Des 455,901 S

FIG 8






FIG 9




FIG 12