



US00D456265S

(12)

United States Design Patent
Spear

(10)

Patent No.: **US D456,265 S**

(45)

Date of Patent: **** Apr. 30, 2002**

(54) **CONTAINER**

(75) Inventor: **Robert R. Spear**, New London, WI (US)

(73) Assignee: **Sturm Foods, Inc.**, Manawa, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/138,673**

(22) Filed: **Mar. 16, 2001**

(51) **LOC (7) Cl.** **09-03**

(52) **U.S. Cl.** **D9/502**; D9/504; D9/530

(58) **Field of Search** D7/510–511, 608, D7/629; D9/500–505, 516, 529, 530, 537, 538, 539, 541, 542, 545, 549, 557, 558, 570, 574, 444, 445, 454; 215/381–384, 396, 398; 220/253–254, 906

(56) **References Cited**

U.S. PATENT DOCUMENTS

D35,412 S	12/1901	Lorenz	
2,739,751 A	* 3/1956	Bailey	220/522
2,768,762 A	10/1956	Guinet	
2,829,790 A	4/1958	Isele-Aregger	
3,441,161 A	4/1969	Baarn	
D214,159 S	* 5/1969	Hart et al.	D9/503
3,603,472 A	9/1971	Lecinski, Jr. et al.	
D226,176 S	* 1/1973	Bystedt	D9/503
D228,879 S	10/1973	Plummer	
D236,433 S	8/1975	Strand	
D247,098 S	1/1978	Ferrante	
D262,266 S	12/1981	Hadtke et al.	
D266,648 S	* 10/1982	Plewes et al.	D9/503
4,383,620 A	5/1983	Mumford	
4,442,947 A	4/1984	Banich, Sr.	
D274,218 S	6/1984	Aramaki	
4,598,835 A	7/1986	Brownbill	
D285,657 S	9/1986	Poore	
4,856,668 A	8/1989	Pfefferkorn et al.	
D324,822 S	* 3/1992	Brabeck et al.	D9/560
D334,113 S	* 3/1993	Lewis et al.	D7/629
D345,695 S	4/1994	Frazer et al.	
D345,696 S	4/1994	Wilkinson et al.	

D350,460 S	* 9/1994	Picozza et al.	D7/629
5,383,558 A	1/1995	Wilkinson et al.	
5,489,036 A	2/1996	Arkins	
D375,655 S	* 11/1996	King	D7/511
D408,689 S	* 4/1999	Kato	D7/608
D415,428 S	* 10/1999	Keller et al.	D9/503
D425,423 S	5/2000	Mengeu et al.	
D445,689 S	* 7/2001	McCutchan	D9/503
D445,690 S	* 7/2001	Ekkert	D9/504

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Boyle, Fredrickson, Newholm, Stein & Gratz, S.C.

(57) **CLAIM**

The ornamental design of a container, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a capped container incorporating my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a side elevation view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is an isometric view of the container of FIG. 1 without the cap;
FIG. 6 is a top plan view of the container of FIG. 1 without the cap thereof;
FIG. 7 is a side elevation view thereof;
FIG. 8 is an isometric view of a second embodiment of a capped container incorporating my new design;
FIG. 9 is an elevation view thereof, with the top and bottom plan views being identical to FIGS. 2 and 4, respectively;
FIG. 10 is an isometric view of the container of FIG. 8 without the cap, the top plan view being identical to FIG. 6; and,
FIG. 11 is a side elevation view thereof.
The dot-dot-dash line showing in FIGS. 4–6 & 10–11 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

