



US00D456270S

(12) **United States Design Patent**  
**Beaver**

(10) **Patent No.:** **US D456,270 S**

(45) **Date of Patent:** **\*\* Apr. 30, 2002**

(54) **CONTAINER**

(75) **Inventor:** **Darin Lee Beaver, Roselle, IL (US)**

(73) **Assignee:** **Consolidated Container Corporation, LLC, Dallas, TX (US)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/148,771**

(22) **Filed:** **Sep. 26, 2001**

**Related U.S. Application Data**

(62) **Division of application No. 29/137,515, filed on Feb. 22, 2001.**

(51) **LOC (7) Cl. .... 09-01**

(52) **U.S. Cl. .... D9/549; D9/516; D9/538; D9/557; D9/570**

(58) **Field of Search .... D9/500, 502, 505, D9/516, 520, 522, 529, 530, 537, 538, 539, 540, 541, 543, 545, 546, 549, 552, 554, 557, 558, 562, 565, 567, 569, 570, 574, 575; 215/381-385, 396, 398**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D91,504 S	*	2/1934	Stein	.....	D9/529
D95,326 S	*	4/1935	Ganz	.....	D9/562
D96,615 S	*	8/1935	Lelong	.....	D9/529
D119,387 S	*	3/1940	Higgins	.....	D9/558
D145,470 S	*	8/1946	Sussman	.....	D9/529
D183,309 S	*	8/1958	Hack	.....	D9/554
D183,335 S	*	8/1958	Weckesser	.....	D9/502
D212,523 S	*	10/1968	Affleck	.....	D9/567
3,800,442 A	*	4/1974	Petrocelli	.....	434/96

D252,799 S	*	9/1979	Yamaguchi	.....	D9/502
D286,021 S	*	10/1986	O'Reilly	.....	D9/520
D312,965 S	*	12/1990	Mansau	.....	D9/529
D313,351 S	*	1/1991	Mansau	.....	D9/537
D314,138 S	*	1/1991	Malvoisin	.....	D9/502
D371,306 S	*	7/1996	Mansau	.....	D9/549
D385,798 S	*	11/1997	Tanaka	.....	D9/544
D396,640 S	*	8/1998	Conrad et al.	.....	D9/502
D432,429 S	*	10/2000	Poullain	.....	D9/549

\* cited by examiner

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Sonnenschein, Nath & Rosenthal

(57) **CLAIM**

The ornamental design for a container, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a container embodying the present invention.

FIG. 2 is an elevational view the of the container from a first direction, the view from the opposing direction being a mirror image thereof.

FIG. 3 is an elevational view of the container of FIG. 1 from a second direction perpendicular to the first direction.

FIG. 4 is an elevational view of the container of FIG. 1 from a fourth direction opposite the second direction; and,

FIG. 5 is a plan view of the container of FIG. 1.

The broken lines in FIGS. 1-5 show the threaded portion of the neck for illustrative purposes only and form no part of the claimed invention.

**1 Claim, 2 Drawing Sheets**




FIG.1




FIG.2




FIG.5




FIG.3




FIG.4

