



US00D456701S

(12) **United States Design Patent**
Platt

(10) **Patent No.:** **US D456,701 S**

(45) **Date of Patent:** **** May 7, 2002**

(54) **FENCE CONNECTOR**

(76) Inventor: **Robert E. Platt**, 8701 Highland Ave.,
Mineral Ridge, OH (US) 44440

(**) Term: **14 Years**

(21) Appl. No.: **29/145,773**

(22) Filed: **Jul. 27, 2001**

Related U.S. Application Data

(60) Division of application No. 29/117,633, filed on Jan. 28,
2000, now Pat. No. Des. 451,006, which is a continuation-
in-part of application No. 08/974,301, filed on Nov. 19,
1997, now Pat. No. 6,135,425.

(51) **LOC (7) Cl.** **08-08**

(52) **U.S. Cl.** **D8/382**

(58) **Field of Search** D8/382, 384, 385,
D8/395; 24/297, 453; 403/408.1; 256/65,
66; 411/76, 508

(56) **References Cited**

U.S. PATENT DOCUMENTS

194,724 A	*	8/1877	Reed et al.	
3,955,801 A	*	5/1976	Soriero, Jr.	256/65
4,027,855 A	*	6/1977	Lauzier	256/21
4,159,592 A	*	7/1979	Gabriel	446/121
4,373,826 A	*	2/1983	Inamoto et al.	403/14
4,495,380 A	*	1/1985	Ryan et al.	174/138 D
4,524,494 A	*	6/1985	Sato et al.	24/453
4,604,776 A	*	8/1986	Takahashi	24/453
4,691,897 A	*	9/1987	Frush	256/65
4,821,481 A	*	4/1989	Woodman	52/664
4,920,618 A	*	5/1990	Iguchi	24/453
D326,605 S	*	6/1992	Nakanura	D8/382

5,255,897 A	*	10/1993	Pepper	256/24
5,445,362 A	*	8/1995	Reppert	256/24
5,509,182 A	*	4/1996	Nakanishi	24/297
5,556,079 A	*	9/1996	West	256/22
5,601,278 A	*	2/1997	Graber	256/66
5,758,987 A	*	6/1998	Frame et al.	403/298
6,135,425 A	*	10/2000	Platt	1/50

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Sand & Sebolt


(57) **CLAIM**

The ornamental design for the fence connector, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the fence connector of the present invention;
 FIG. 2 is a front elevational view of the fence connector of FIG. 1;
 FIG. 3 is a left side elevational view of FIG. 2, the right side being a mirror image thereof;
 FIG. 4 is a top plan view of FIG. 2, the bottom plan view being a mirror image thereof;
 FIG. 5 is a perspective view of a second embodiment of the fence connector of the present invention;
 FIG. 6 is a front elevational view of the fence connector of FIG. 5;
 FIG. 7 is a left side elevational view of FIG. 6, the right side elevational view being a mirror image thereof; and,
 FIG. 8 is a top plan view of FIG. 6, the bottom plan view being a mirror image thereof.

1 Claim, 2 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8