



US00D456768S

(12) **United States Design Patent** (10) **Patent No.:** **US D456,768 S**
Fantanzo et al. (45) **Date of Patent:** **** May 7, 2002**

(54) **TIRE TREAD**

OTHER PUBLICATIONS

(75) Inventors: **Andrea Fantanzo; John J. Regallis,**
both of Akron, OH (US)

(73) Assignee: **Bridgestone/Firestone North**
American Tire, LLC, Nashville, TN
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/141,909**

(22) Filed: **May 15, 2001**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/588**

(58) **Field of Search** D12/512, 513,
D12/544, 545, 551, 552, 553, 555, 579,
580, 582, 583, 584, 586, 588, 590, 594,
595, 596, 597, 598, 600, 602; 152/209.1,
209.9, 209.12, 209.13, 209.18, 209.25

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,267 S	7/1992	Constant	
D365,052 S	* 12/1995	Lash et al.	D12/588
D365,055 S	12/1995	McKisson	
D379,954 S	* 6/1997	Matsuda et al.	D12/590
D384,617 S	10/1997	Regallis et al.	
D390,517 S	2/1998	Guspodin et al.	
D390,559 S	2/1998	Guspodin et al.	
D400,831 S	11/1998	Blankenship et al.	
D414,727 S	10/1999	Brown et al.	
D415,454 S	* 10/1999	Blankenship et al.	D12/590
D427,950 S	* 7/2000	Miller et al.	D12/588
D429,479 S	8/2000	Fierro et al.	
D445,380 S	* 7/2001	Fantanzo et al.	D12/586

FOREIGN PATENT DOCUMENTS

XH DM/031 121 * 10/1994

Atlas Pinnacle TE Tire, 1999 Tread Design Guide, Jan. 1999, p. 12. 1/2.*

Federal Super Steel 731 Tire, 1999 Tread Design Guide, Jan. 1999, p. 30. 1/1.*

Cavalier A/P Tire, 1999 Tread Design Guide, Jan. 1999, p. 84. 3/4.*

Michelin LTZ A/T Tire, 1999 Tread Design Guide, Jan. 1999, p. 107. 3/2.*

Miller Trail A/P Tire, 1999 Tread Design Guide, Jan. 1999, p. 108. 2/2.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Thomas R. Kingsbury;
Michael Sand; John H. Hornickel

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION


FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a reduced scale side elevational view of the right side thereof, the opposite side being identical thereto; and, FIG. 4 is an enlarged fragmentary side perspective view thereof.

The broken lines defining the tire sidewall and inner bead and the peripheral boundary between the tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4