



US00D456769S

(12) **United States Design Patent**  
**Dixon et al.**

(10) **Patent No.: US D456,769 S**

(45) **Date of Patent: \*\* May 7, 2002**

(54) **TIRE TREAD**

D433,356 S 11/2000 Loeffler et al. .... D12/147  
6,142,200 A 11/2000 Feider et al. .... 152/209.14

(75) Inventors: **Max Harold Dixon**, Bedford, PA (US);  
**Robert John Hermann**, Cuyahoga Falls;  
**Paul Keyser Blackiston, III**, Massillon, both of OH (US)

**OTHER PUBLICATIONS**

GT Tire USA GTR 378 Tire, 2000 Tread Design Guide, Jan. 2000, p. 36. 2/5.\*  
Kumho Victoracer Tire, 2000 Tread Design Guide, Jan. 2000, p. 41. 2/4.\*  
Michelin XRV Tire, 2000 Tread Design Guide, Jan. 2000, p. 103. 1/1.\*  
Federal Maha Steel 271 Tire, 2000 Tread Design Guide, Jan. 2000, p. 129. 1/5.\*  
Sigma Power King Radial Trailer R11 Tire, 2000 Tread Design Guide, Jan. 2000, p. 150. 1/1.\*  
Sumitomo ST727 Tire, 2000 Tread Design Guide, Jan. 2000, p. 151. 4/1.\*  
Michelin XRV Tire, Michelin Commercial Light Truck Tire and Truck Tire Data Book, p. 24.\*

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/143,187**

(22) Filed: **Jun. 8, 2001**

(51) **LOC (7) Cl. .... 12-15**

(52) **U.S. Cl. .... D12/600; D12/900**

(58) **Field of Search .... D12/580, 586, D12/587, 590, 592, 593, 594, 595, 596, 597, 598, 600, 601, 602, 603; 152/209.1, 209.9, 209.13, 209.18, 209.19, 209.27**

\* cited by examiner

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—David L. King

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,515,197 A	5/1985	Motomura et al. ....	152/209 R
D294,812 S	3/1988	Takeuchi .....	D12/146
4,945,966 A	8/1990	Ogawa .....	152/209 R
D355,151 S	2/1995	Hagmaier .....	D12/146
5,417,269 A	5/1995	Kinoshita et al. ....	152/209 R
D380,995 S	7/1997	Grosskopf .....	D12/143
D384,612 S	* 10/1997	Young et al. ....	D12/597
D385,235 S	10/1997	Young .....	D12/141
D388,370 S	12/1997	Young et al. ....	D12/146
D389,107 S	1/1998	Young .....	D12/147
D390,510 S	2/1998	Stone et al. ....	D12/143
D397,647 S	9/1998	Young .....	D12/146
D402,932 S	12/1998	Gillard et al. ....	D12/142
5,909,756 A	6/1999	Miyazaki .....	152/209 R
D416,837 S	* 11/1999	Moore .....	D12/600
D424,986 S	5/2000	Yoshioka .....	D12/147
6,102,093 A	8/2000	Nakagawa .....	152/209.2
6,116,309 A	9/2000	Gillard et al. ....	152/209.14


(57) **CLAIM**

The ornamental Design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and, FIG. 4 is an enlarged fragmentary perspective view. In the drawings, the broken lines defining the inner bead and sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4