



US00D456794S

(12) **United States Design Patent**  
**Laverick et al.**

(10) **Patent No.:** **US D456,794 S**

(45) **Date of Patent:** **\*\* May 7, 2002**

(54) **WIRELESS COMMUNICATIONS DEVICE**

(75) Inventors: **David Laverick**, Overland Park; **David Lammers-Meis**, Prairie Village; **Robert M. Kalis**, Overland Park, all of KS (US)

(73) Assignee: **Garmin Ltd. (KY)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/147,544**

(22) Filed: **Aug. 30, 2001**

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/138**

(58) **Field of Search** ..... D14/137, 138, D14/218, 147-148, 247-248, 144, 341-347; 379/433.01-433.13, 419, 434, 428.01-428.04, 420.01-420.04, 440; 455/550-575, 90

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D356,563 S	*	3/1995	Berry	.....	D14/138
D381,020 S	*	7/1997	Harden et al.	.....	D14/138
D385,875 S	*	11/1997	Harris et al.	.....	D14/138
D386,493 S	*	11/1997	Mahan	.....	D14/138
D390,509 S	*	2/1998	Antzinas et al.	.....	D14/138
D395,250 S	*	6/1998	Kabler et al.	.....	D10/65
D402,572 S	*	12/1998	Han	.....	D10/65
D406,135 S	*	2/1999	Nagano et al.	.....	D14/138
D410,645 S	*	6/1999	Wood et al.	.....	D14/138

6,014,552 A	*	1/2000	Aiken et al.	.....	455/90
D420,351 S	*	2/2000	Waldner	.....	D14/138
6,038,313 A	*	3/2000	Collins	.....	379/433
D428,402 S	*	7/2000	Son et al.	.....	D14/138
D432,511 S	*	10/2000	Eckholm	.....	D14/138
D433,017 S	*	10/2000	Martinez	.....	D14/346
6,128,515 A	*	10/2000	Kabler et al.	.....	455/566
D434,016 S	*	11/2000	Hunt	.....	D14/138
D439,230 S	*	3/2001	Braxton et al.	.....	D14/138
D441,733 S	*	5/2001	Do et al.	.....	D14/138
6,243,595 B1	*	6/2001	Lee et al.	.....	455/566
6,246,862 B1	*	6/2001	Grivas et al.	.....	455/90
D451,079 S	*	11/2001	Ali	.....	D14/138

\* cited by examiner

*Primary Examiner*—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Devon A. Rolf


(57) **CLAIM**

The ornamental design for a wireless communications device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a wireless communications device of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a rear view thereof.

**1 Claim, 3 Drawing Sheets**






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.

Fig. 5.





Fig. 6.






Fig. 7.