



US00D456973S

(12) **United States Design Patent** (10) **Patent No.:** **US D456,973 S**
Kimpel (45) **Date of Patent:** **** May 7, 2002**

(54) **RECONFIGURABLE WHEELED CART**

(76) Inventor: **J. M'lou Kimpel**, 10 Rustic Hills,
Norman, OK (US) 73072

(**) Term: **14 Years**

(21) Appl. No.: **29/139,417**

(22) Filed: **Mar. 30, 2001**

(51) **LOC (7) Cl.** **12-02**

(52) **U.S. Cl.** **D34/24; D34/26**

(58) **Field of Search** D34/12-27; 280/47.18,
280/47.24, 47.27, 47.29, 652, 655, 47.315,
654

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-------------------------|-----------|
| 3,677,571 A | 7/1972 | Maturo, Jr. et al. | 280/36 R |
| 4,865,346 A | 9/1989 | Carlile | 280/654 |
| 5,002,304 A * | 3/1991 | Carrigan, Jr. | 280/655 |
| 5,197,754 A | 3/1993 | Ward | 280/655 |
| D335,737 S * | 5/1993 | Bell, Sr. et al. | D34/26 |
| D339,442 S * | 9/1993 | Holtz | D34/26 |
| 5,362,079 A | 11/1994 | Graham | 280/47.23 |
| 5,660,403 A | 8/1997 | O'Neill et al. | 280/47.19 |
| 5,915,722 A | 6/1999 | Thrasher et al. | 280/649 |
| 6,082,757 A * | 7/2000 | Lin | 280/654 |

* cited by examiner

Primary Examiner—Kay H. Chin

(74) *Attorney, Agent, or Firm*—McAfee & Taft

(57) **CLAIM**

The ornamental design for a reconfigurable wheeled cart, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view taken from the front and right of the wheeled cart in an open position. The dashed lines

indicate an equipment bag that may be carried by the cart, and is not a part of the invention.

FIG. 2 is a perspective view taken from the back left of the wheeled cart in an open position. The dashed lines indicate an equipment bag that may be carried by the cart, and is not a part of the invention.

FIG. 3 is a right side elevation view of the wheeled cart of the present invention in the open position, the left side being a mirror image thereof.

FIG. 4 is a top plan view of the wheeled cart of the present invention in an open position.

FIG. 5 is the bottom plan view of the wheeled cart in an open position.

FIG. 6 is an elevation view from the rear of the wheeled cart in an open position.

FIG. 7 is an elevation view from the front of the wheeled cart in an open position.

FIG. 8 is a perspective view of the left rear of the wheeled cart in a closed position.

FIG. 9 is a perspective view of the front right of the wheeled cart in a closed position.

FIG. 10 is a right side elevation view of the wheeled cart in a closed position, the left side being a mirror image thereof.


FIG. 11 is a top plan view of the wheeled cart in a closed position.


FIG. 12 is a bottom plan view of the wheeled cart in a closed position.

FIG. 13 is an elevation view taken from the front of the wheeled cart of the present invention in a closed position; and,

FIG. 14 is an elevation view taken from the rear of the wheeled cart of the present invention in a closed position.

1 Claim, 10 Drawing Sheets









FIG. 2






FIG. 4




FIG. 5

