

(12) United States Design Patent (10) Patent No.: US D457,021 S ****** *May 14, 2002 Wiecek (45) **Date of Patent:**

- FOOTREST ASSEMBLY AND FOOTREST (54) SUPPORT MEMBER FOR A RECLINING **FURNITURE ITEM**
- Glenn N. Wiecek, Shelbyville, KY (75)Inventor: (US)
- Assignee: L&P Property Management (73)Company, South Gate, CA (US)

4,506,925 A		3/1985	Crum 297/69
4,844,536 A		7/1989	Mizelle 297/68
D337,216 S	≉	7/1993	Boyd D6/360
D354,177 S	*	1/1995	Schwaegerle et al D6/367

* cited by examiner

(57)

Primary Examiner—Doris V. Coles Assistant Examiner—Mimosa De (74) Attorney, Agent, or Firm-Wood, Herron & Evans, L.L.P.

- This patent is subject to a terminal dis-(*) Notice: claimer.
- 14 Years (**) Term:
- Appl. No.: 29/115,912 (21)
- Dec. 22, 1999 (22)Filed:
- LOC (7) Cl. 06-06 (51)(52)(58)D6/363, 364, 365, 366, 367, 368, 381, 500-502; 297/68, 232, 423.1, 423.17, 423.18, 423.19, 423.2, 423.25, 423.26, 463.1, DIG. 7
- **References Cited** (56)

U.S. PATENT DOCUMENTS

276,687 A		5/1883	Hartley
649,383 A		5/1900	Wilcke 297/70
1,157,992 A	*	10/1915	Lutz 297/232
D64,545 S	*	4/1924	Koken D6/360
D168,845 S	≉	2/1953	Lauterbach et al D6/360
D168,857 S	*	2/1953	Ries D6/360
D173,592 S	*	11/1954	Richardson D6/360
D177,765 S	*	5/1956	Romito D6/360
D188,048 S	*	5/1960	Leubner D6/360
D189,818 S	≉	2/1961	Piotraschke D6/360
3,039,814 A		6/1962	Schliephacke 297/68
D193,183 S	*	7/1962	Fidel D6/360
D194,459 S	*	1/1963	Dlouhy D6/360
D198,782 S	*	8/1964	Piotraschke D6/360
D211,986 S	*	8/1968	Yasutomi D6/360
3,794,381 A		2/1974	Caldemeyer 297/430
D232,138 S	*	7/1974	Armbruster D6/360
D239,790 S	*	5/1976	Webb D6/360

CLAIM

The ornamental design for a footrest assembly and footrest support member for a reclining furniture item, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the present invention. FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a right side elevational view thereof, the left side elevational view being a mirror image thereof; FIG. 5 is a front elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a perspective view of a second embodiment of the present invention; FIG. 8 is a top view of FIG. 7; FIG. 9 is a bottom view of FIG. 7; FIG. 10 is a right side elevational view of FIG. 7, the left side elevational view being a mirror image thereof; FIG. 11 is a front elevational view of FIG. 7; FIG. 12 is a rear elevational view of FIG. 7; FIG. 13 is a perspective view of a third embodiment of the prevent invention; FIG. 14 is a top view of FIG. 13; FIG. 15 is a bottom view of FIG. 13; FIG. 16 is a right side elevational view of FIG. 13, the left side elevational view being a mirror image thereof; FIG. 17 is a front elevational view of FIG. 13; FIG. 18 is a rear elevational view of FIG. 13; FIG. 19 is a perspective view of a fourth embodiment of the present invention; FIG. 20 is a top view of FIG. 19;



US D457,021 S Page 2

FIG. 21 is a bottom view of FIG. 19; FIG. 22 is a right side elevational view of FIG. 19, the left side elevational view being a mirror image thereof;

FIG. 23 is a front elevational view of FIG. 19;

FIG. 24 is a rear elevational view of FIG. 19;

FIG. 25 is a perspective view of a fifth embodiment of the present invention;

FIG. 26 is a top view of FIG. 25;

FIG. 27 is a bottom view of FIG. 25;

FIG. 28 is a right side elevational view of FIG. 25, the left side elevational view being a mirror image thereof; FIG. 29 is a front elevational view of FIG. 25; FIG. 30 is a rear elevational view of FIG. 25; FIG. 31 is a perspective view of a sixth embodiment of the present invention; FIG. 32 is a top view of FIG. 31; FIG. 33 is a bottom view of FIG. 31; FIG. 34 is a right side elevational view of FIG. 31, the left side elevational view being a mirror image thereof; FIG. 35 is a front elevational view of FIG. 31; FIG. 36 is a rear elevational view of FIG. 31; FIG. 37 is a perspective view of a seventh embodiment of the present invention; FIG. 38 is a top view of FIG. 37; FIG. 39 is a bottom view of FIG. 37; FIG. 40 is a right side elevational view of FIG. 37, the left side elevational view being a mirror image thereof; FIG. 41 is a front elevational view of FIG. 37; FIG. 42 is a rear elevational view of FIG. 37; FIG. 43 is a perspective view of a eighth embodiment of the present invention; FIG. 44 is a top view of FIG. 43;

FIG. 49 is a perspective view of a ninth embodiment of the present invention;

FIG. 50 is a top view of FIG. 49;

FIG. 51 is a bottom view of FIG. 49;

FIG. 52 is a right side elevational view of FIG. 49, the left side elevational view being a mirror image thereof;

FIG. 53 is a front elevational view of FIG. 49;

FIG. 54 is a rear elevational view of FIG. 49;

FIG. 55 is a perspective view of a tenth embodiment of the present invention;

FIG. 56 is a top view of FIG. 55; FIG. 57 is a bottom view of FIG. 55; FIG. 58 is a right side elevational view of FIG. 55, the left side elevational view being a mirror image thereof; FIG. 59 is a front elevational view of FIG. 55; FIG. 60 is a rear elevational view of FIG. 55; FIG. 61 is a perspective view of eleventh embodiment of the present invention; FIG. 62 is a top view of FIG. 61; FIG. 63 is a bottom view of FIG. 61; FIG. 64 is a right side elevational view of FIG. 61, the left side elevational view being a mirror image thereof; FIG. 65 is a front elevational view of FIG. 61; FIG. 66 is a rear elevational view of FIG. 61; FIG. 67 is a perspective view of twelfth embodiment of the present invention; FIG. 68 is a top view of FIG. 67; FIG. 69 is a bottom view of FIG. 67; FIG. 70 is a right side elevational view of FIG. 67, the left side elevational view being a mirror image thereof; FIG. 71 is a front elevational view of FIG. 67; and, FIG. 72 is a rear elevational view of FIG. 67.

The elements shown in broken lines are for environmental purposes and relate to elements which do not form part of the claimed invention.

FIG. 45 is a bottom view of FIG. 43; FIG. 46 is a right side elevational view of FIG. 43, the left side elevational view being a mirror image thereof; FIG. 47 is a front elevational view of FIG. 43; FIG. 48 is a rear elevational view of FIG. 43;

1 Claim, 36 Drawing Sheets

U.S. Patent May 14, 2002 Sheet 1 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 2 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 3 of 36 US D457,021 S



FIG. 4



FIG. 5





U.S. Patent May 14, 2002 Sheet 4 of 36 US D457,021 S





U.S. Patent May 14, 2002 Sheet 6 of 36 US D457,021 S



FIG. 10





FIG. 11





U.S. Patent May 14, 2002 Sheet 7 of 36 US D457,021 S









FIG. 16



FIG. 17



U.S. Patent May 14, 2002 Sheet 10 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 11 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 12 of 36 US D457,021 S



FIG. 22



FIG. 23



U.S. Patent May 14, 2002 Sheet 13 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 14 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 15 of 36 US D457,021 S



FIG. 28







FIG. 29







U.S. Patent May 14, 2002 Sheet 16 of 36 US D457,021 S









FIG. 34



FIG. 35



U.S. Patent May 14, 2002 Sheet 19 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 20 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 21 of 36 US D457,021 S



FIG. 40









U.S. Patent May 14, 2002 Sheet 22 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 23 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 24 of 36 US D457,021 S



FIG. 46





FIG. 47





U.S. Patent May 14, 2002 Sheet 25 of 36 US D457,021 S





U.S. Patent May 14, 2002 Sheet 27 of 36 US D457,021 S



FIG. 52



FIG. 53



FIG. 54

U.S. Patent May 14, 2002 Sheet 28 of 36 US D457,021 S



U.S. Patent May 14, 2002 Sheet 29 of 36 US D457,021 S



.

U.S. Patent May 14, 2002 Sheet 30 of 36 US D457,021 S



FIG. 58





U.S. Patent May 14, 2002 Sheet 31 of 36 US D457,021 S





U.S. Patent May 14, 2002 Sheet 33 of 36 US D457,021 S









U.S. Patent May 14, 2002 Sheet 34 of 36 US D457,021 S





U.S. Patent May 14, 2002 Sheet 36 of 36 US D457,021 S



FIG. 70



