



US00D457126S

(12) **United States Design Patent**
Allison et al.

(10) **Patent No.:** **US D457,126 S**

(45) **Date of Patent:** **** May 14, 2002**

(54) **TIRE TREAD**

(75) **Inventors:** **William Butterworth Allison,**
Cuyahoga Falls; **Paul Keyser**
Blackiston, III, Massillon, both of OH
(US)

(73) **Assignee:** **The Goodyear Tire & Rubber**
Company, Akron, OH (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/142,209**

(22) **Filed:** **May 18, 2001**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/579; D12/580**

(58) **Field of Search** D12/512, 513,
D12/544, 545, 557, 558, 563, 579, 580,
593, 602, 901; 152/209.1, 209.9, 209.12,
209.13, 209.22, 209.28

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,298,046 A	11/1981	Herbelleau et al.	152/209 R
D268,103 S	* 3/1983	Corner	D12/545
D272,999 S	* 3/1984	Nagayasu	D12/579
D279,089 S	* 6/1985	Wright	D12/602
4,598,747 A	7/1986	Flechtner	152/209 R
D289,027 S	* 3/1987	Diensthuber	D12/602
D296,680 S	7/1988	Krupa	D12/147
D309,591 S	7/1990	Guermendi et al.	D12/147
D320,773 S	10/1991	Gebert et al.	D12/147
D320,774 S	10/1991	Gebert et al.	D12/151
5,078,190 A	1/1992	Wissbrock et al.	152/209 R
5,085,259 A	2/1992	Goergen et al.	152/209 R
5,198,047 A	3/1993	Graas et al.	152/209 R
5,223,065 A	6/1993	Kogure	156/110.1
5,301,727 A	4/1994	Inoue	152/209 R
5,435,366 A	7/1995	Voight et al.	152/209 R
D364,369 S	11/1995	Graas	D12/146
5,571,351 A	11/1996	Hatakenaka et al.	152/209 R
5,582,661 A	12/1996	Winter	152/209 R
5,591,280 A	1/1997	Asano	152/209 R
5,605,588 A	2/1997	Hatakenaka et al.	152/209 R

5,660,651 A	8/1997	Diensthuber	152/209 A
D388,036 S	12/1997	Labbe et al.	D12/147
5,711,828 A	1/1998	Himuro	152/209 R
D390,819 S	2/1998	Blankenship et al.	D12/147
D393,612 S	4/1998	Hino	D12/146
D395,264 S	6/1998	Blankenship et al.	D12/146
5,785,780 A	7/1998	Ochi	152/209 R
5,814,169 A	9/1998	Yamaguchi et al.	152/209 R
D402,243 S	12/1998	Heinen	D12/147
D406,085 S	2/1999	Graas	D12/146
5,873,399 A	2/1999	Ochi et al.	152/209 R
D410,419 S	6/1999	Murata et al.	D12/146
D412,688 S	8/1999	Brown, IV et al.	D12/147

(List continued on next page.)

OTHER PUBLICATIONS

Centennial Canyon Climber RV Radial Tire, 2000 Tread Design Guide, 1/200, p. 81. 3/5.*
Goodyear Unisteel G133 & G181 Tires, Tire, 2000 Tread Design Guide, 1/200, p. 92. 3/2 & 3/3.*
Goodyear Unisteel G124 Tire, 2000 Tread Design Guide, 1/200, p. 223. 1/3.*
Hercules Drive Master Over The Road Drive Wheel Tire, 2000 Tread Design Guide, 1/200, p. 227. 1/4.*

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—David L. King


(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a reduced side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary perspective view.
In the drawings, the broken lines defining the sidewall and inner bead of the tire are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D457,126 S

Page 2

U.S. PATENT DOCUMENTS

D412,871 S	8/1999	Matsuda	D12/146	D421,732 S	3/2000	Fierro et al.	D12/146
D415,079 S	10/1999	Heinen et al.	D12/146	D421,942 S	3/2000	Fierro et al.	D12/146
D415,450 S	10/1999	Williams	D12/146	6,079,464 A	6/2000	Hatakenaka et al. ...	152/209.24
6,000,450 A	12/1999	Kishimoto et al.	152/209.1	D429,192 S	8/2000	Edwards et al.	D12/147
6,003,574 A	12/1999	Boiocchi et al.	152/209 R	D430,080 S	8/2000	Graas et al.	D12/146
D420,626 S	2/2000	Allison et al.	D12/146	D430,517 S *	9/2000	Allison	D12/579
D420,950 S	2/2000	Hitzky et al.	D12/147	D437,266 S	2/2001	Poling et al.	D12/146

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4