



US00D457128S

(12) **United States Design Patent** (10) **Patent No.:** **US D457,128 S**
Robert et al. (45) **Date of Patent:** **** May 14, 2002**

(54) **TIRE TREAD**

OTHER PUBLICATIONS

(75) Inventors: **Michel Pierre Charles Robert**, Sibret;
Phuoc Thuan Le, Attert, both of (BE)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/137,388**

(22) Filed: **Feb. 20, 2001**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/602; D12/579**

(58) **Field of Search** D12/579, 585,
D12/588, 599, 602, 603; 152/209.1, 209.9,
209.11, 209.12, 209.13, 209.18, 209.19,
209.25, 209.27

Woosung YP-701 Tire, 2000 Tread Design Guide, Jan. 2000, p. 74. 2/1.*

Denman Coyote Tire, 2000 Tread Design Guide, Jan. 2000, p. 87. 1/5.*

Goodyear G244 MSD Tire, 2000 Tread Design Guide, Jan. 2000, p. 133. 1/3.*

Kelly-Springfield Armorsteel KDM I Tire, 2000 Tread Design Guide, Jan. 2000, p. 136. 2/4.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—David L. King

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D243,757 S	*	3/1977	Hayakawa et al.		D12/602
D279,364 S	*	6/1985	Kusube		D12/594
D279,890 S	*	7/1985	Kusube		D12/594
5,361,814 A		11/1994	Covert et al.		152/209 A
5,524,686 A		6/1996	Takada et al.		152/209 R
5,658,404 A		8/1997	Brown et al.		152/209 A
D394,623 S		5/1998	Carpino et al.		D12/147
5,415,215 A		5/1998	Covert et al.		152/209 A
D397,652 S	*	9/1998	Le et al.		D12/602
D410,420 S	*	6/1999	De Barsy		D12/600
D420,626 S		2/2000	Allison et al.		D12/146
D420,951 S		2/2000	Cai		D12/147
D420,956 S		2/2000	Rodicq et al.		D12/147

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary perspective view.

In the drawings, the broken lines defining the sidewall and inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4