



US00D457203S

(12) **United States Design Patent** (10) **Patent No.:** **US D457,203 S**
Onishi et al. (45) **Date of Patent:** **** May 14, 2002**

(54) **ROBOTIC DOG**

5,929,585 A 7/1999 Fujita
5,963,712 A 10/1999 Fujita et al.

(75) Inventors: **Tomohiko Onishi; Nobata Fujio**, both
of Tokyo (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Sega Toys, Ltd.**, Tokyo (JP)

EP	0 898 237 A2	2/1999
EP	0 923 011 A2	6/1999
EP	0 924 034 A2	6/1999
JP	1050592	6/1999
JP	0138550	9/1999
JP	1050592-1	9/1999
WO	WO 99/64208	12/1999
WO	WO 99/67067	12/1999

(**) Term: **14 Years**

(21) Appl. No.: **29/131,267**

(22) Filed: **Oct. 17, 2000**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/122,730, filed on
May 1, 2000, now Pat. No. Des. 448,433, which is a
continuation of application No. 29/122,078, filed on Apr. 19,
2000.

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin &
Flannery

(30) **Foreign Application Priority Data**

Nov. 2, 1999 (JP) 11/30240
May 17, 2000 (JP) 2000-016755

(57) **CLAIM**

The ornamental design for a robotic dog, as shown and
described.

(51) **LOC (7) Cl.** **21-01**

(52) **U.S. Cl.** **D21/578; D21/611**

(58) **Field of Search** D21/576, 578,
D21/584, 585, 611–613; 446/97, 268, 317;
318/568.12

DESCRIPTION

FIG. 1 is a perspective view of a robotic dog, showing our
new design;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,870,527 A 2/1999 Fujikawa et al.

1 Claim, 3 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3




FIG. 4

FIG. 5




FIG. 6




FIG. 7

