



US00D457244S

(12) **United States Design Patent**  
**Loutis et al.**

(10) **Patent No.:** **US D457,244 S**

(45) **Date of Patent:** **\*\* May 14, 2002**

(54) **BIOMEDICAL ELECTRODE PORTION**

5,511,548 A \* 4/1996 Riazzi et al. .... 128/641  
D429,337 S \* 8/2000 Sanfilippo ..... D24/187

(75) Inventors: **Nicolaus Loutis**, Borken; **Paul Weidenhaupt**, Gummersbach, both of (DE)

**FOREIGN PATENT DOCUMENTS**

WO WO 98/02089 1/1998

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Stella Reid

(21) Appl. No.: **29/119,688**

(74) *Attorney, Agent, or Firm*—John A. Burtis

(22) Filed: **Mar. 6, 2000**

(57) **CLAIM**

The ornamental design for a biomedical electrode portion, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Sep. 10, 1999 (GB) ..... 2086582

FIG. 1 is a perspective view of the biomedical electrode portion showing our new design;

(51) **LOC (7) Cl.** ..... **24-01**

FIG. 2 is a top view thereof;

(52) **U.S. Cl.** ..... **D24/187**

FIG. 3 is a bottom view thereof;

(58) **Field of Search** ..... D24/187; 600/372, 600/373, 382, 384, 391, 392, 393; D20/22-28; D19/35

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof; and,

FIG. 6 is a side view thereof.


(56) **References Cited**


The broken lines in the figures show a part of the biomedical electrode for illustrative purposes only and form no part of the illustrated design.

**U.S. PATENT DOCUMENTS**


D240,166 S \* 6/1976 Cartmell et al. .... D24/187  
4,777,954 A \* 10/1988 Keusch et al. .... 128/640

**1 Claim, 2 Drawing Sheets**






*Fig. 1*




*Fig. 2*



*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*