

(12)

United States Design Patent

Rowland

(10) Patent No.:

US D457,298 S

(45) Date of Patent:

\*\* May 21, 2002

(54) **SHOE ORNAMENT LOCKING CLIP APPARATUS**

(76) Inventor: **Michael Campbell Rowland**, 53 Cottonwood La., Dyersburg, TN (US) 38024

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/130,475**

(22) Filed: **Sep. 29, 2000**

(51) **LOC (7) Cl.** ..... **02-99**

(52) **U.S. Cl.** ..... **D2/976**

(58) **Field of Search** ..... D2/946, 976; 36/136; D8/382, 394, 395; D11/218

(56) **References Cited**

|                       |   |                   |              |
|-----------------------|---|-------------------|--------------|
| U.S. PATENT DOCUMENTS |   |                   |              |
| D28,245 S             | * | 2/1898 Rubin      | ..... D8/395 |
| D103,602 S            | * | 3/1937 Spalsbury  | ..... D2/976 |
| 4,697,362 A           |   | 10/1987 Wasserman |              |
| 5,359,790 A           |   | 11/1994 Iverson   |              |
| 5,596,821 A           |   | 1/1997 Solo       |              |
| 5,673,499 A           |   | 10/1997 Attilieni |              |
| 5,673,501 A           |   | 10/1997 Mathews   |              |
| 6,115,948 A           | * | 9/2000 Mitchell   | ..... 36/136 |

\* cited by examiner

*Primary Examiner*—Dominic Simone

(57) **CLAIM**

The ornamental design for the shoe ornament locking clip apparatus, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of a shoe ornament locking

clip apparatus showing my new design, the shoe shown in broken lines for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is an exploded front elevational view thereof, the shoe shown in broken lines for illustrative purposes only;

FIG. 3 is a front, left side perspective view of the locking clip element in an open position, shown separately for clarity of disclosure, the right side being a mirror image;

FIG. 4 is a rear elevational view of FIG. 3;

FIG. 5 is a left side elevational view of FIG. 3, in a closed position, the right side being a mirror image;

FIG. 6 is a top plan view of FIG. 3;

FIG. 7 is a bottom plan view of FIG. 3;

FIG. 8 is a rear, left perspective view of the bar element;


FIG. 9 is a top plan view of FIG. 8;

FIG. 10 is an enlarged, left side cross-sectional view of FIG. 1, the shoe and the ornament shown in broken lines for illustrative purposes only and form no part of the claimed design;

FIG. 11 is a rear, left perspective view of a second embodiment of the bar element; and,

FIG. 12 is an enlarged, left side cross-sectional view of the second embodiment of the bar element in a completely assembled position, the shoe and the ornament shown in broken lines for illustrative purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






Fig. 1





Fig. 2



**Fig . 6**




**Fig . 3**



**Fig . 5**



**Fig . 7**



**Fig . 4**



Fig. 8



Fig. 9





Fig. 10



**Fig. 11**




Fig. 12