



US00D457408S

(12) **United States Design Patent**
Sakai et al.

(10) **Patent No.:** **US D457,408 S**

(45) **Date of Patent:** **** May 21, 2002**

(54) **PORTABLE ELECTRIC CIRCULAR SAW**

D429,133 S * 8/2000 Lui D8/66
6,219,922 B1 * 4/2001 Campbell et al. 30/391 X

(75) Inventors: **Masato Sakai; Kihachirou Matsumoto; Akira Onose**, all of Hitachinaka (JP)

* cited by examiner

Primary Examiner—Jeffrey Asch

(73) Assignee: **Hitachi Koki Co., Ltd.**, Tokyo (JP)

(74) *Attorney, Agent, or Firm*—McDermott, Will & Emery

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/134,257**

The ornamental design for a portable electric circular saw, as shown and described.

(22) Filed: **Dec. 19, 2000**

DESCRIPTION

(30) **Foreign Application Priority Data**

Jun. 19, 2000 (JP) 2000-016480

FIG. 1 is a photograph corresponding to a front elevational view of a first embodiment of the portable electric circular saw;

(51) **LOC (7) Cl.** **08-03**

FIG. 2 is a photograph corresponding to a rear elevational view thereof;

(52) **U.S. Cl.** **D8/66**

FIG. 3 is a photograph corresponding to a left side view thereof;

(58) **Field of Search** D8/61-70; 81/57.11, 81/54, 57.42; 173/170, 217, 169, 216, 213, 164; 451/357-359, 344; 310/50; 30/374, 388-391, 124

FIG. 4 is a photograph corresponding to a right side view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,562,396	A	*	7/1951	Schutz	451/456	X
D180,181	S	*	4/1957	Ernest	D8/66	
D180,815	S	*	8/1957	Bentley	D8/66	
2,926,709	A	*	3/1960	Kaley	83/478	
3,882,598	A	*	5/1975	Earle et al.	30/390	
D282,346	S	*	1/1986	Pioch	D8/66	
D317,110	S	*	5/1991	Arehart	D8/66	
5,023,999	A	*	6/1991	Looper et al.	30/390	
5,033,192	A	*	7/1991	Franz et al.	30/124	
D327,828	S	*	7/1992	Hoshino et al.	D8/66	
D329,363	S	*	9/1992	Sasaki et al.	D8/66	
5,235,753	A	*	8/1993	Stumpf	30/391	
5,327,649	A	*	7/1994	Skinner	30/124	
D370,162	S	*	5/1996	Brazell et al.	D8/66	
D378,488	S	*	3/1997	Ito et al.	D8/66	
5,701,676	A	*	12/1997	Itoh	30/388	
D390,081	S	*	2/1998	Price et al.	D8/66	
5,794,351	A	*	8/1998	Campbell et al.	30/390	
D421,702	S	*	3/2000	Sakai et al.	D8/66	
D428,318	S	*	7/2000	Gallagher et al.	D8/66	

FIG. 5 is a photograph corresponding to a top plan view thereof; and

FIG. 6 is a photograph corresponding to a bottom plan view thereof.

FIG. 7 is a photograph corresponding to a front perspective view thereof;

FIG. 8 is a photograph corresponding to a front elevational view of a second embodiment of the portable electric circular saw;

FIG. 9 is a photograph corresponding to a rear elevational view thereof;

FIG. 10 is a photograph corresponding to a left side view thereof;

FIG. 11 is a photograph corresponding to a right side view thereof;

FIG. 12 is a photograph corresponding to a top plan view thereof; and

FIG. 13 is a photograph corresponding to a bottom plan view thereof; and,

FIG. 14 is a photograph corresponding to a front perspective view thereof.

1 Claim, 14 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13



© 2002 Intel Corporation

FIG. 14

