



US00D457456S

(12) **United States Design Patent**  
**Holland**

(10) **Patent No.:** **US D457,456 S**

(45) **Date of Patent:** **\*\* May 21, 2002**

(54) **GAS DETECTOR**

D381,592 S \* 7/1997 Goauld ..... D10/106

D385,503 S \* 10/1997 Velazquez ..... D10/106

D432,037 S \* 10/2000 Worth et al. .... D10/106

(75) Inventor: **Jan Holland**, Birmingham (GB)

(73) Assignee: **Crowcon Detection Instruments Ltd.**,  
Oxfordshire (GB)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Ohlandt, Greeley, Ruggiero  
& Perle, LLP

(21) Appl. No.: **29/145,335**

(22) Filed: **Jul. 20, 2001**

(30) **Foreign Application Priority Data**

Jan. 22, 2001 (GB) ..... 2098944

(51) **LOC (7) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/106**

(58) **Field of Search** ..... D10/104, 106,  
D10/116, 121; 340/540, 545, 628, 629,  
630, 632, 633, 634

(57) **CLAIM**

The ornamental design for the gas detector, as shown and described in the accompanying figures.

**DESCRIPTION**

FIG. 1 is a front view of a gas detector according to the present invention;

FIG. 2 is a side view of the gas detector of FIG. 1; and,

FIG. 3 is a top view of the gas detector of FIG. 1.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D350,300 S \* 9/1994 Browning et al. .... D10/106

**1 Claim, 3 Drawing Sheets**





FIG. 1




FIG.2




FIG. 3