



US00D457520S

(12) **United States Design Patent**  
**Laverick et al.**

(10) **Patent No.:** **US D457,520 S**

(45) **Date of Patent:** **\*\* May 21, 2002**

(54) **INPUT CONTROLS FOR A WIRELESS COMMUNICATIONS DEVICE**

(75) Inventors: **David Laverick**, Overland Park; **David Lammers-Meis**, Prairie Village; **Robert M. Kalis**, Overland Park, all of KS (US)

(73) Assignee: **Garmin Ltd. (KY)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/147,545**

(22) Filed: **Aug. 30, 2001**

(51) **LOC (7) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/247**

(58) **Field of Search** ..... D14/137, 138, D14/218, 147-148, 247-249, 144, 455, 456, 341-347, 338-340, 399, 426, 387, 429, 453; 379/433.01-433.13, 434, 419, 420.01-420.04, 428.01-428.02, 440, 368-370; 455/550-575, 90; D13/168; D18/2, 7, 12

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D377,489 S	*	1/1997	Renard	.....	D14/138
D386,493 S	*	11/1997	Mahan	.....	D14/138
D389,828 S	*	1/1998	Kutsuzawa	.....	D14/138
D395,250 S	*	6/1998	Kabler et al.	.....	D10/65
D395,431 S	*	6/1998	Harris et al.	.....	D14/138
D398,002 S	*	9/1998	Chacon et al.	.....	D14/115
D398,305 S	*	9/1998	Kasbekar et al.	.....	D14/138
D410,645 S	*	6/1999	Wood et al.	.....	D14/138
D413,896 S	*	9/1999	Frye et al.	.....	D14/247

D416,024 S	*	11/1999	Johansson et al.	.....	D14/247
D421,020 S	*	2/2000	Curtis	.....	D14/247
D421,611 S	*	3/2000	Nuovo	.....	D14/248
D421,992 S	*	3/2000	Phillips et al.	.....	D14/247
D423,515 S	*	4/2000	Phillips et al.	.....	D14/247
D428,878 S	*	8/2000	Finkbeiner	.....	D14/247
6,128,515 A	*	10/2000	Kabler et al.	.....	455/566
6,151,485 A	*	11/2000	Crisp	.....	455/90
D441,357 S	*	5/2001	Kolinen	.....	D14/247
D447,474 S	*	9/2001	Gartrell et al.	.....	D14/247
D448,020 S	*	9/2001	Higashi et al.	.....	D14/247
D449,596 S	*	10/2001	Park et al.	.....	D14/247
D451,502 S	*	12/2001	Vuolteenaho et al.	.....	D14/247

\* cited by examiner

*Primary Examiner*—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Devon A. Rolf


(57) **CLAIM**

The ornamental design for a input controls for a wireless communications device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a input controls for a wireless communications device of the present invention; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof. The broken line showings throughout the views are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.