



US00D457680S

(12) **United States Design Patent**
De'Armond

(10) **Patent No.:** **US D457,680 S**

(45) **Date of Patent:** **** May 21, 2002**

(54) **LIGHTING FIXTURE**

(75) **Inventor:** **Robert De'Armond**, Temecula, CA (US)

(73) **Assignee:** **Minka Lighting, Inc.**, Corona, CA (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/142,821**

(22) **Filed:** **Jun. 1, 2001**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/140,783, filed on Apr. 24, 2001, and a continuation-in-part of application No. 29/140,837, filed on Apr. 24, 2001, and a continuation-in-part of application No. 29/140,832, filed on Apr. 24, 2001.

(51) **LOC (7) Cl.** **26-03**

(52) **U.S. Cl.** **D26/87**

(58) **Field of Search** D26/67, 68, 72, D26/80-92, 143, 145, 147, 153-155; 362/147, 432, 404-408, 362, 363, 367

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|--------|-----------|-------|---------|
| D394,325 S | * | 5/1998 | Hsu | | D26/87 |
| D426,912 S | * | 6/2000 | De'Armond | | D26/142 |
| D440,344 S | * | 4/2001 | DeaArmond | | D26/87 |
| D446,594 S | * | 8/2001 | Phillips | | D26/72 |
| D447,263 S | * | 8/2001 | Hidalgo | | D26/72 |

OTHER PUBLICATIONS

Progress Lighting Catalog/p. 144/items# P5719-31 and P5720-31.*

Taiwan Lighting/Aug. 1996/p. 139/item #3002.*

U.S. application No. 29/140,837, filed Apr. 24, 2001, Robert De'Armond.

U.S. application No. 29/140,832, filed Apr. 24, 2001, Robert De'Armond.

Minka Lighting, Inc.; The Great Outdoors by Minka-Lavery Two Thousand; Jun. 21, 2000; pp. 12-16, 42, 43; Minka Lighting Inc.; published in U.S.A.

Minka Lighting, Inc.; The Great Outdoors, Minka-Lavery; Jan. 29, 1999; pp. 10, 11, 27, 45; Minka Lighting, Inc.; published in U.S.A.

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Jenkins & Gilchrist, P.C.

(57) **CLAIM**

The ornamental design for the lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from above of the lighting fixture in accordance with my design;

FIG. 2 is a perspective view from below of the lighting fixture in accordance with my design;

FIG. 3 is a side elevation view of the lighting fixture in accordance with my design;

FIG. 4 is a full front elevation view of the lighting fixture in accordance with my design;

FIG. 5 is a bottom plan view of the lighting fixture in accordance with my design; and,

FIG. 6 is a top plan view of the lighting fixture in accordance with my design.

The left and right elevational views are symmetrical.

The rear elevation is unornamented and follows the contour shown in FIGS. 3, 4, 5 and 6.

The dome of the fixture housing is formed from a translucent material such as alabaster or a synthetic alabaster formed from epoxy resin.

1 Claim, 6 Drawing Sheets





Fig.1



Fig.2



Fig.3



Fig.4




Fig.5



Fig.6