



US00D457763S

(12) **United States Design Patent** (10) **Patent No.:** **US D457,763 S**
Borys (45) **Date of Patent:** **** May 28, 2002**

(54) **ARTICLE HANGING AND STORAGE
DEVICE**

(76) **Inventor:** **Robert Borys**, 136 St. Jerome Crescent,
Kitchener, Ontario (CA), N2C 2L2

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/138,952**

(22) **Filed:** **Mar. 23, 2001**

(30) **Foreign Application Priority Data**

Dec. 18, 2000 (CA) 2000-3315

(51) **LOC (7) Cl.** **06-06**

(52) **U.S. Cl.** **D6/513**

(58) **Field of Search** D6/512, 513, 514,
D6/552, 553, 567, 569; 206/6.1, 349, 362.2,
823; 211/10, 13.1, 86.01, 87.01; D2/525

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,718,260 A * 2/1973 Sharp D6/567 X
4,326,761 A * 4/1982 Schwartz 211/13.1

D317,233 S * 6/1991 Kelly D6/553
5,050,745 A * 9/1991 Sanders D6/567 X
5,363,953 A * 11/1994 Carter D6/567 X
D401,092 S * 11/1998 Patel D6/525

* cited by examiner

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Merek & Voorhees

(57) **CLAIM**

The ornamental design for an article hanging and storage device, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the article hanging and storage device;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a rear elevational view thereof; and,

FIG. 7 is a side perspective view of an alternate embodiment of the article hanging and storage device.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7