



US00D457922S

(12) **United States Design Patent**
Christianson

(10) **Patent No.:** **US D457,922 S**
(45) **Date of Patent:** **** May 28, 2002**

(54) **COMBINED GYROSCOPE WITH BASE**

- (75) Inventor: **Tristan M. Christianson**, San Francisco, CA (US)
- (73) Assignee: **Sharper Image Corporation**, San Francisco, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/134,002**
- (22) Filed: **May 17, 2001**

Related U.S. Application Data

- (63) Continuation of application No. 29/130,217, filed on Sep. 28, 2000, now abandoned.
- (51) **LOC (7) Cl.** **21-02**
- (52) **U.S. Cl.** **D21/461**
- (58) **Field of Search** D21/398, 399, D21/455, 460, 461; 446/233

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,338,572	A	*	4/1920	Kerr	446/233
2,762,162	A	*	9/1956	Koljan	446/233
3,628,285	A	*	12/1971	Mukakami	446/233
5,150,625	A	*	9/1992	Mishler	446/233 X
5,683,284	A	*	11/1997	Christen	446/233
D404,438	S	*	1/1999	Hunts	D21/460
D413,335	S		8/1999	Pinchuk	D14/299
D414,190	S		9/1999	Pinchuk	D14/299
D447,523	S	*	9/2001	Christianson	D21/460

* cited by examiner

Primary Examiner—Dominic Simone

(74) *Attorney, Agent, or Firm*—Fliesler Dubb Meyer & Lovejoy LLP

(57) **CLAIM**

A new original and ornamental design for a combined gyroscope with base, as illustrated in the accompanying drawings.

DESCRIPTION

FIG. 1 is a top front perspective view of the invention of a combined gyroscope with base;

FIG. 2 is a bottom rear perspective view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 3 is a left side view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 4 is a right side view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 5 is a front view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 6 is a rear view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 7 is a top view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 8 is a bottom view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 9 is a top front perspective view of the base of the above combined gyroscope with base of FIG. 1;

FIG. 10 is a bottom rear perspective view of the base of FIG. 9;

FIG. 11 is a left side view of the base of FIG. 9;

FIG. 12 is a right side view of the base of FIG. 9;

FIG. 13 is a front view of the base of FIG. 9;

FIG. 14 is a back view of the base of FIG. 9;

FIG. 15 is a top view of the base of FIG. 9;

FIG. 16 is a bottom view of the base of FIG. 9;

FIG. 17 is a top front perspective view of the gyroscope of the combined gyroscope with base of FIG. 1;

FIG. 18 is a bottom rear perspective view of the gyroscope of FIG. 17;

FIG. 19 is a right side view of the gyroscope of FIG. 17;

FIG. 20 is a left side view of the gyroscope of FIG. 17;


FIG. 21 is a rear perspective view of the gyroscope of FIG. 17;

FIG. 22 is a front perspective view of the gyroscope of FIG. 17;

FIG. 23 is a top view of the gyroscope of FIG. 17; and,

FIG. 24 is a bottom view of the gyroscope of FIG. 17.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24