



US00D457922S

(12) **United States Design Patent**  
**Christianson**

(10) **Patent No.:** **US D457,922 S**  
(45) **Date of Patent:** **\*\* May 28, 2002**

(54) **COMBINED GYROSCOPE WITH BASE**

- (75) Inventor: **Tristan M. Christianson**, San Francisco, CA (US)
- (73) Assignee: **Sharper Image Corporation**, San Francisco, CA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/134,002**
- (22) Filed: **May 17, 2001**

**Related U.S. Application Data**

- (63) Continuation of application No. 29/130,217, filed on Sep. 28, 2000, now abandoned.
- (51) **LOC (7) Cl.** ..... **21-02**
- (52) **U.S. Cl.** ..... **D21/461**
- (58) **Field of Search** ..... D21/398, 399, D21/455, 460, 461; 446/233

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,338,572	A	*	4/1920	Kerr	.....	446/233
2,762,162	A	*	9/1956	Koljan	.....	446/233
3,628,285	A	*	12/1971	Mukakami	.....	446/233
5,150,625	A	*	9/1992	Mishler	.....	446/233 X
5,683,284	A	*	11/1997	Christen	.....	446/233
D404,438	S	*	1/1999	Hunts	.....	D21/460
D413,335	S		8/1999	Pinchuk	.....	D14/299
D414,190	S		9/1999	Pinchuk	.....	D14/299
D447,523	S	*	9/2001	Christianson	.....	D21/460

\* cited by examiner

*Primary Examiner*—Dominic Simone

(74) *Attorney, Agent, or Firm*—Fliesler Dubb Meyer & Lovejoy LLP

(57) **CLAIM**

A new original and ornamental design for a combined gyroscope with base, as illustrated in the accompanying drawings.

**DESCRIPTION**

FIG. 1 is a top front perspective view of the invention of a combined gyroscope with base;

FIG. 2 is a bottom rear perspective view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 3 is a left side view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 4 is a right side view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 5 is a front view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 6 is a rear view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 7 is a top view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 8 is a bottom view of the invention of a combined gyroscope with base of FIG. 1;

FIG. 9 is a top front perspective view of the base of the above combined gyroscope with base of FIG. 1;

FIG. 10 is a bottom rear perspective view of the base of FIG. 9;

FIG. 11 is a left side view of the base of FIG. 9;

FIG. 12 is a right side view of the base of FIG. 9;

FIG. 13 is a front view of the base of FIG. 9;

FIG. 14 is a back view of the base of FIG. 9;

FIG. 15 is a top view of the base of FIG. 9;

FIG. 16 is a bottom view of the base of FIG. 9;

FIG. 17 is a top front perspective view of the gyroscope of the combined gyroscope with base of FIG. 1;

FIG. 18 is a bottom rear perspective view of the gyroscope of FIG. 17;

FIG. 19 is a right side view of the gyroscope of FIG. 17;

FIG. 20 is a left side view of the gyroscope of FIG. 17;


FIG. 21 is a rear perspective view of the gyroscope of FIG. 17;

FIG. 22 is a front perspective view of the gyroscope of FIG. 17;

FIG. 23 is a top view of the gyroscope of FIG. 17; and,

FIG. 24 is a bottom view of the gyroscope of FIG. 17.

**1 Claim, 12 Drawing Sheets**






FIG. 1






FIG. 2




**FIG. 3**




**FIG. 4**







**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**




FIG. 9







FIG. 10




**FIG. 11**



**FIG. 12**



**FIG. 13**



**FIG. 14**






FIG. 15







FIG. 16




**FIG. 17**




**FIG. 18**




**FIG. 19**



**FIG. 20**




**FIG. 21**




**FIG. 22**





**FIG. 23**



**FIG. 24**