

US00D457952S

(12) **United States Design Patent**
Sherman

(10) **Patent No.:** **US D457,952 S**

(45) **Date of Patent:** **** May 28, 2002**

(54) **EYEDROPPER POSITIONING DEVICE**

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—The Halvorson Law Firm

(76) **Inventor:** **Thomas Sherman**, 4730 E. Indian School Rd. #120, Phoenix, AZ (US) 85018

(57) **CLAIM**

(**) **Term:** **14 Years**

The ornamental design for an eyedropper positioning device, as shown and described.

(21) **Appl. No.:** **29/139,265**

DESCRIPTION

(22) **Filed:** **Mar. 27, 2001**

FIG. 1 is a perspective view of an eyedropper positioning device showing my new design, the broken line showing is for illustrative purposes only and forms no part of the claimed design;

(51) **LOC (7) Cl.** **24-02**

(52) **U.S. Cl.** **D24/127; D24/115; D24/120; D24/128; D24/140**

FIG. 2 is an alternate perspective view, according to the present invention

(58) **Field of Search** D24/140, 127, D24/128, 120, 115, 133; 604/302, 300, 295, 294

FIG. 3 is a view of the front, according to the present invention;

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,031,918	A	*	5/1962	Moyers	604/302
D244,670	S	*	6/1977	Winikoff	D24/127
D249,709	S	*	9/1978	Trovinger	D24/127
4,605,398	A	*	8/1986	Herrick	604/300
4,834,727	A	*	5/1989	Cope	604/300
4,960,407	A	*	10/1990	Cope	604/300

FIG. 4 is a view of the back, according to the present invention;

FIG. 5 is a view of the side, according to the present invention;


FIG. 6 is a view of another side, according to the present invention;

FIG. 7 is a view of the bottom side, according to the present invention; and,

FIG. 8 is a view of the top side, according to the present invention.

* cited by examiner

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8