



US00D458124S

(12) **United States Design Patent**
Kvame

(10) **Patent No.:** **US D458,124 S**

(45) **Date of Patent:** **** Jun. 4, 2002**

(54) **LABEL DISPENSER AND MOLDED COMPONENT THEREFOR**

(75) **Inventor:** **Martin C. Kvame**, Huron, OH (US)

(73) **Assignee:** **CMC DayMark Corporation**, Bowling Green, OH (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/138,875**

(22) **Filed:** **Mar. 21, 2001**

(51) **LOC (7) Cl.** **09-03**

(52) **U.S. Cl.** **D9/415**

(58) **Field of Search** D9/415, 416, 428, D9/337; 206/461-471, 575, 576, 397, 402, 495, 806, 398, 409, 411, 303; 225/6, 93, 106; 221/312 C, 186

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,122 S	*	1/1975	Horblitt	D9/415
3,861,528 A	*	1/1975	Damuth	206/463
D260,368 S	*	8/1981	Dunshée et al.	D9/415
D275,835 S	*	10/1984	Borst	D9/415
4,527,722 A	*	7/1985	Strachan	225/106
D288,533 S	*	3/1987	Jialanella et al.	D9/415
D322,030 S	*	12/1991	Chumentì	D9/415
5,083,717 A	*	1/1992	Samuelson et al.	206/411
D324,074 S	*	2/1992	DeJaynes	D9/415
5,358,113 A	*	10/1994	Hellenbrand	206/411
5,950,959 A	*	9/1999	Milliorn	206/411
6,145,722 A	*	11/2000	Behrens et al.	206/411

OTHER PUBLICATIONS

DayMark, Food Rotation Labeling Brochure, Apr. 3, 2000. In the attached brochure of DayMark, the prior art dispensers are shown on pp. 12, 13 and 18. The dispenser shown on pp. 1, 2, 4, 17, 21 and the back cover represent the dispenser of the present patent application.

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Emch, Schaffer, Schaub & Porcello, Co., L.P.A.

(57) **CLAIM**

The ornamental design of a label dispenser and molded component therefor, as shown and described.

DESCRIPTION

FIG. 1 is an elevational view of the dispenser package of the present invention including a molded component and flat paperboard member adhered thereto;

FIG. 2 is an elevational view of the molded component, shown separately for clarity of illustration;


FIG. 3 is a side elevational view of the molded component as viewed from the right of FIG. 2;


FIG. 4 is a side elevational view of the molded component as viewed from the left of FIG. 2;

FIG. 5 is a top view of molded component shown in FIG. 2; and,


FIG. 6 is a bottom view of the molded component shown in FIG. 2.

1 Claim, 4 Drawing Sheets






—FIG. 1



—FIG. 2



—FIG. 3




FIG. 4





FIG. 5



—FIG. 6