



US00D458218S

(12) **United States Design Patent**
Reynolds

(10) **Patent No.:** **US D458,218 S**

(45) **Date of Patent:** **** Jun. 4, 2002**

(54) **HOUSING FOR REMOTELY SWITCHABLE POWER SUPPLY FOR NETWORK DEVICE RACKS HAVING PORTS AND OUTLETS ON ONE SURFACE**

(75) Inventor: **Charles H. Reynolds**, Gilroy, CA (US)

(73) Assignee: **Cyber Switching Inc.**, Santa Clara, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/115,992**

(22) Filed: **Dec. 21, 1999**

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/110**

(58) **Field of Search** D13/110, 123, D13/184, 162, 164; 307/150, 151, 38; 361/643, 728; 340/825.31

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,545,631 A * 10/1985 Zampini 439/92
- D288,920 S * 3/1987 Oesterheld et al. D13/139.8
- 4,731,029 A 3/1988 Lerner et al.
- 4,840,570 A * 6/1989 Mann, Jr. et al. 439/74
- D306,155 S 2/1990 Stahler et al.
- 4,993,970 A 2/1991 Littrell
- 5,181,858 A * 1/1993 Matz et al. 439/188

(List continued on next page.)

OTHER PUBLICATIONS

Eem 96, electronic engineers master catalog, 38th Edition, vol. D, Hearst Business Publishing, pp. 2260–2261, 2326–2343.

Web Page <http://www.dataprobe.com/power1.html>, 7 pages.

Web Page <http://www.wti.com/power.htm>, 8 pages.

Web Page <http://www.seltronics.com/se03005.htm>, page 1 of 1.

Web Page <http://www.majorpower.com/distribution/mpd100r.html>, 2 pages.

Web Page <http://www.marway.com/products/mpd100r.html>, 2 pages.

Web Page <http://www.marway.com/company/note.html>, 2 pages.

Web Page <http://www.pmpwest.com/pproduct.htm>, 2 pages.

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Stephen J. LeBlanc; Law Offices of Jonathan Alan Quine

(57) **CLAIM**

The ornamental design for housing for remotely switchable power supply for network device racks having ports and outlets on one surface, as shown and described.

DESCRIPTION

The article is a power supply strip that includes power supply receptacles and network connections and that allows a remotely network device to cause the power provided by the power supply receptacles to cycle.

FIG. 1 is a perspective view of a housing for remotely switchable power supply for network device racks having ports and outlets on one surface showing my new design; FIG. 2 is a top plan view thereof; the bottom plan view being a mirror image thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a right side elevational view, the left side elevational view being a mirror image thereof; and

FIG. 5 is a rear elevational view thereof;


FIG. 6 is a first alternative rear elevational view thereof, the difference being the shapes of the network and power receptacles; and,

FIG. 7 is a second alternative rear elevational view thereof, the difference being the shapes of the network and power receptacles.

The broken line showing throughout the drawing figures is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

Housing for remotely switchable power supply for network device racks having ports and outlets on one surface.

1 Claim, 2 Drawing Sheets



US D458,218 S

Page 2

U.S. PATENT DOCUMENTS

5,198,806 A	3/1993	Lord		5,563,455 A	10/1996	Cheng	
5,199,878 A	4/1993	Dewey et al.		5,632,648 A	5/1997	Liu	
5,245,507 A	9/1993	Erickson		D380,447 S	* 7/1997	Chen et al.	D13/164
D340,699 S	* 10/1993	Chen	D13/164	5,644,174 A	7/1997	Cheng et al.	
5,347,167 A	9/1994	Singh		5,649,839 A	* 7/1997	Yu	439/650
5,359,540 A	10/1994	Ortiz		5,658,166 A	8/1997	Freeman et al.	
D354,737 S	* 1/1995	Fladung	D13/164	5,836,786 A	11/1998	Pepe	
D356,297 S	3/1995	Carl et al.		D406,259 S	3/1999	Lindahl	
5,424,587 A	6/1995	Federowicz		5,923,103 A	7/1999	Pulizzi et al.	
D360,191 S	* 7/1995	Carl et al.	D13/160	5,956,227 A	9/1999	Kitaoka	
D366,248 S	* 1/1996	Owens	D13/184	6,020,824 A	2/2000	Tamura et al.	
5,493,542 A	* 2/1996	Odelid	368/10	6,102,296 A	8/2000	Snider	
5,531,611 A	* 7/1996	Reed et al.	439/540.1	6,121,695 A	9/2000	Loh	
5,538,438 A	7/1996	Orlando		6,169,661 B1	1/2001	Lee	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7