



US00D458219S

(12) **United States Design Patent**  
**Ma**

(10) **Patent No.:** **US D458,219 S**

(45) **Date of Patent:** **\*\* Jun. 4, 2002**

(54) **ADAPTER FOR A RADIO COMMUNICATION DEVICE**

(75) Inventor: **Judy J. Ma**, Buffalo Grove, IL (US)

(73) Assignee: **Motorola, Inc.**, Schaumburg, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/122,281**

(22) Filed: **Apr. 24, 2000**

(51) **LOC (7) Cl.** ..... **13-01**

(52) **U.S. Cl.** ..... **D13/110; D14/253**

(58) **Field of Search** ..... D14/137, 434,  
D14/138, 447, 148, 147, 149-151, 140-142,  
240, 241, 251, 253, 451; 379/426, 449,  
419, 420.04, 428.01, 440, 454, 455, 446;  
455/550-575, 90; D13/107, 108, 110; 320/110,  
113, 114, 115; D3/218

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D354,961 S	*	1/1995	Richards et al.	.....	D14/253
D374,014 S	*	9/1996	Nagele et al.	.....	D14/253
5,568,548 A	*	10/1996	Replinger et al.	.....	379/446
D385,283 S	*	10/1997	Snyder et al.	.....	D14/253
D389,159 S	*	1/1998	Patterson et al.	.....	D14/253
5,790,661 A	*	8/1998	Patterson	.....	379/446
5,822,427 A	*	10/1998	Braitberg et al.	.....	379/454
D402,993 S	*	12/1998	James et al.	.....	D14/253
D404,397 S	*	1/1999	Lucaci et al.	.....	D14/253
D412,910 S	*	8/1999	Peiker	.....	D14/253
D413,607 S	*	9/1999	Lindahl	.....	D14/253
D417,224 S	*	11/1999	Kfoury	.....	D14/253
6,009,168 A	*	12/1999	Snyder et al.	.....	379/446
D419,160 S	*	1/2000	Davidson et al.	.....	D14/253
D421,443 S	*	3/2000	Nagele et al.	.....	D14/253
D425,908 S	*	5/2000	Collins	.....	D14/253
D428,002 S	*	7/2000	Lindahl	.....	D14/253

D432,528 S	*	10/2000	Hartman et al.	.....	D14/243
D433,996 S	*	11/2000	Ma	.....	D13/110
D441,713 S	*	5/2001	Gartrell	.....	D13/108
6,227,505 B1	*	5/2001	Van Order et al.	.....	248/222.13
6,269,258 B1	*	7/2001	Peiker	.....	455/569

\* cited by examiner

*Primary Examiner*—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Brian M. Mancini

(57) **CLAIM**


The ornamental design for an adapter for a radio communication device, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of an adapter for a radio communication device;  
 FIG. 2 is a front view of the adapter of FIG. 1;  
 FIG. 3 is a right side view of the adapter of FIG. 1;  
 FIG. 4 is a bottom view of the adapter of FIG. 1;  
 FIG. 5 is a top view of the adapter of FIG. 1;  
 FIG. 6 is a rear view of the adapter of FIG. 1;  
 FIG. 7 is a left side view of the adapter of FIG. 1;  
 FIG. 8 is a perspective view of an alternative adapter for a radio communication device;  
 FIG. 9 is a front view of the alternative adapter of FIG. 8;  
 FIG. 10 is a right side view of the alternative adapter of FIG. 8;  
 FIG. 11 is a bottom view of the alternative adapter of FIG. 8;  
 FIG. 12 is a top view of the alternative adapter of FIG. 8;  
 FIG. 13 is a rear view of the alternative adapter of FIG. 8;  
 and,  
 FIG. 14 is a left side view of the alternative adapter of FIG. 8.


The broken line matter shown in FIGS. 1-7 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**







*FIG. 1*



*FIG. 2*




*FIG. 3*




*FIG. 4*







*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*




*FIG. 9*




*FIG. 10*




*FIG. 11*



*FIG. 12*



*FIG. 13*



*FIG. 14*