US00D458257S

(12) **United States Design Patent**
Rosen et al.

(10) **Patent No.: US D458,257 S**
(45) **Date of Patent: ** Jun. 4, 2002**

(54) **MULTI-POSITION MONITOR**

(75) Inventors: **John B. Rosen**; **Mark O. Snyker**, both of Eugene, OR (US)

(73) Assignee: **Rosen Products LLC**, Eugene, OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/144,223**

(22) Filed: **Jun. 27, 2001**

(51) **LOC (7) Cl.** **14-02**
(52) **U.S. Cl.** **D14/375**
(58) **Field of Search** D14/371, 374, D14/375, 376, 377, 378, 379, 380, 381, 382, 125–129; 345/104, 156, 168, 173; 348/180, 184, 325, 739, 838; 248/917–924; 341/12; 349/1, 2, 11, 62

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,438,458 A * 3/1984 Munscher 348/838
D317,912 S * 7/1991 Takai D14/375
D337,104 S * 7/1993 Orchard D14/375

* cited by examiner

Primary Examiner—Freda Nunn
(74) *Attorney, Agent, or Firm*—Kolisch, Hartwell, Dickinson, McCormack & Heuser

(57) **CLAIM**

The ornamental design for a multi-position monitor, as shown and described.

DESCRIPTION

FIG. **1** is an isometric view of a multi-position monitor constructed in accordance with the present invention;
FIG. **2** is a right-side view of the multi-position shown in FIG. **1**, the left-side view being a mirror image thereof;
FIG. **3** is a front view of the multi-position monitor shown in FIG. **1**;
FIG. **4** is a rear view of the multi-position monitor shown in FIG. **1**;
FIG. **5** is a top view of the multi-position monitor shown in FIG. **1**; and,
FIG. **6** is a bottom view of the multi-position monitor shown in FIG. **1**.

1 Claim, 5 Drawing Sheets







FIG. 1



FIG. 2



FIG 3



FIG 4



FIG 5



FIG 6