



US00D458635S

(12) **United States Design Patent**
Boyle et al.

(10) **Patent No.:** **US D458,635 S**
(45) **Date of Patent:** **** Jun. 11, 2002**

(54) **COMBINATION STYLUS AND PEN**
(75) Inventors: **Dennis Boyle**, Palo Alto; **Martin Bone**, San Francisco; **Joseph Watson**, Los Gatos; **Dana Nicholson**, San Francisco; **Matthew Adams**, Mountain View, all of CA (US)

(73) Assignee: **Ideo Product Development, Inc.**, Palo Alto, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/147,173**

(22) Filed: **Aug. 22, 2001**

(51) **LOC (7) Cl.** **19-06**

(52) **U.S. Cl.** **D19/36; D14/411**

(58) **Field of Search** D19/35, 36, 41-51, D19/53-58, 81-85; D14/411; 401/34, 17, 52, 18, 195, 37, 98, 202, 209, 213, 262; 178/19.01-19.05; 345/179-183

(56) **References Cited**

U.S. PATENT DOCUMENTS

24,758 A	7/1859	Richardson	
27,311 A	2/1860	Richardson	
40,486 A	12/1863	Lownds	
555,752 A	3/1896	Bacho	
1,738,367 A	12/1929	Haught	
2,002,501 A	5/1935	Donato	
2,114,203 A	4/1938	Agbayani	
D148,129 S	* 12/1947	Burge	D19/36
3,733,139 A	* 5/1973	Neidhardt et al.	401/17
D238,680 S	* 2/1976	Pulos et al.	D14/411
D316,109 S	4/1991	Pappageorge	
5,247,137 A	9/1993	Epperson	
D362,649 S	* 9/1995	Rak et al.	D14/411
5,548,092 A	8/1996	Shriver	
5,564,850 A	* 10/1996	Nagaoka	401/34 X
5,635,682 A	6/1997	Cherdak et al.	
D390,872 S	* 2/1998	Suraga	D19/36
5,717,435 A	* 2/1998	Fukushima et al.	345/179

5,747,748 A	5/1998	Zigler	
D395,672 S	6/1998	Navarro	
5,850,059 A	12/1998	Yoshimura	
5,866,856 A	2/1999	Holtzman	
D407,436 S	3/1999	Chavalier et al.	
5,889,512 A	3/1999	Moller et al.	
5,913,629 A	* 6/1999	Hazzard	178/19.01 X
D442,632 S	* 5/2001	Ono	D19/36
D443,300 S	* 6/2001	Kim et al.	D19/36
D451,137 S	* 11/2001	Reichmann	D19/36

* cited by examiner

Primary Examiner—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—Carr & Ferrell LLP


(57) **CLAIM**

The ornamental design for a combination stylus and pen, as shown and described.

DESCRIPTION

FIG. 1 is a right front perspective view of a combination stylus and pen showing our new design;
 FIG. 2 is a left rear perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a left side elevational view thereof, the right side being a mirror image thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a rear perspective view in an exploded condition;
 FIG. 9 is a front perspective view in an alternate exploded condition;
 FIG. 10 is a right front perspective view with the stylus/cap in a stored position and the pen tip exposed;
 FIG. 11 is a rear perspective view of FIG. 10;
 FIG. 12 is a front elevational view of FIG. 10;
 FIG. 13 is a left side elevational view of FIG. 10, the right side being a mirror image thereof;
 FIG. 14 is a rear elevational view of FIG. 10;
 FIG. 15 is a top plan view of FIG. 10; and,
 FIG. 16 is a bottom plan view of FIG. 10.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16