



US00D458642S

(12) **United States Design Patent**
Jackson

(10) **Patent No.:** **US D458,642 S**

(45) **Date of Patent:** **** Jun. 11, 2002**

- (54) **RADIATION INDICATOR TAG**
- (75) **Inventor:** **Stuart A. Jackson**, Edmonton (CA)
- (73) **Assignee:** **Radtag Technologies Inc.**, Alberta (CA)
- (**) **Term:** **14 Years**
- (21) **Appl. No.:** **29/114,621**
- (22) **Filed:** **Nov. 29, 1999**
- (51) **LOC (7) Cl.** **20-02**
- (52) **U.S. Cl.** **D20/22**
- (58) **Field of Search** D20/10, 11, 22-28, D20/40, 42; D10/104; 40/1, 124.01, 299, 630, 638

- D311,423 S * 10/1990 DeSantis D20/22
- 4,985,632 A 1/1991 Bianco et al.
- 5,051,597 A 9/1991 Lewis et al.
- 5,084,623 A 1/1992 Lewis et al.
- 5,099,132 A 3/1992 Ueno et al.
- 5,117,116 A 5/1992 Bannard et al.
- 5,359,200 A 10/1994 Donahue et al.
- 5,420,000 A 5/1995 Patel
- 5,451,792 A 9/1995 Maguire et al.
- D436,182 S * 1/2000 Stevens et al. D20/22
- D430,902 S * 9/2000 Aakermann D20/22
- D432,176 S * 10/2000 Stevens et al. D20/22
- D436,183 S * 1/2001 Stevens et al. D20/22

FOREIGN PATENT DOCUMENTS

CA 1121255 4/1982

* cited by examiner

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Rodman & Rodman

(56) **References Cited**
U.S. PATENT DOCUMENTS

- 3,051,837 A 8/1962 Nitka
- 3,465,590 A 9/1969 Kluth et al.
- 3,479,877 A 11/1969 Allen et al.
- 3,665,770 A 5/1972 Sagi et al.
- 3,677,088 A 7/1972 Lang
- 3,704,985 A 12/1972 Pickett et al.
- 3,787,687 A 1/1974 Trumble
- 3,903,423 A 9/1975 Zweig
- 3,980,581 A 9/1976 Godsey, Jr. et al.
- 3,981,683 A 9/1976 Larsson et al.
- 3,999,946 A 12/1976 Patel et al.
- 4,130,760 A 12/1978 Fanselow et al.
- 4,208,186 A 6/1980 Patel
- 4,308,459 A 12/1981 Williams
- 4,389,217 A 6/1983 Baughman et al.
- 4,737,463 A 4/1988 Bhattacharjee et al.
- 4,788,433 A 11/1988 Wright
- 4,829,187 A 5/1989 Tomita et al.
- 4,957,851 A 9/1990 Tomida et al.

(57) **CLAIM**

The ornamental design for a radiation indicator tag, as shown and described.

DESCRIPTION

FIG. 1—is a plan view of a first embodiment of the radiation indicator tag;
FIG. 2—is a plan view of a second embodiment of the radiation indicator tag;
FIG. 3—is a plan view of a third embodiment of the radiation indicator tag; and,
FIG. 4—is a plan view of a fourth embodiment of the radiation indicator tag.
The rear is plain and unornamented and the sides have no substantial thickness.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4

