



US00D458800S

(12) **United States Design Patent**
Kotsonis

(10) **Patent No.:** **US D458,800 S**

(45) **Date of Patent:** **** Jun. 18, 2002**

- (54) **FLEXIBLE STRAP HANDLE**
- (75) Inventor: **Peter F. Kotsonis**, Orlando, FL (US)
- (73) Assignee: **Dart Industries Inc.**, Orlando, FL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/143,607**
- (22) Filed: **Jun. 15, 2001**
- (51) **LOC (7) Cl.** **07-02**
- (52) **U.S. Cl.** **D7/393**
- (58) **Field of Search** D7/393-395; D9/434;
D8/396; 24/16 PB, 30.5 P; 16/110.1, 406,
407; 206/551, 503, 203, 820; 220/754,
758, 759, 760; 294/27.1, 31.2, 33, 137,
165, 170

| | | | | |
|-------------|---------|---------------|---------------|------------------|
| D241,600 S | 9/1976 | Ashton | | D9/344 |
| 4,010,662 A | * | 3/1977 | Perrault | 294/31.2 X |
| D254,170 S | 2/1980 | Croyle et al. | | D9/344 |
| 4,207,997 A | 6/1980 | Croyle | | D9/344 |
| 4,478,450 A | 10/1984 | Picozza | | D9/344 |
| D277,256 S | 1/1985 | Picozza | | D9/344 |
| 4,505,506 A | 3/1985 | Picozza | | D9/344 |
| D282,337 S | 1/1986 | Picozza | | D9/344 |
| D287,983 S | 1/1987 | Picozza | | D9/344 |
| 5,185,904 A | * | 2/1993 | Rogers et al. | 294/27.1 X |
| 5,676,252 A | 10/1997 | Lillelund | | D9/344 |
| D413,800 S | 9/1999 | Caparros | | D9/344 |
| D422,500 S | 4/2000 | Prevot | | D9/434 |

* cited by examiner

Primary Examiner—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Taylor J. Ross

(57) **CLAIM**

The ornamental design for a flexible strap handle, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

| | | | | |
|-------------|---------|--------------|-------------|--------------|
| D188,553 S | 8/1960 | Tupper | | D9/344 |
| 3,044,659 A | 7/1962 | Tupper | | D9/344 |
| 3,092,410 A | * | 6/1963 | Diamantides | 294/33 |
| 3,137,423 A | 6/1964 | Tupper | | D9/344 |
| 3,161,929 A | 12/1964 | Swett | | D9/344 |
| 3,194,460 A | 7/1965 | Tupper | | D9/344 |
| 3,194,461 A | 7/1965 | Tupper | | D9/344 |
| 3,194,462 A | 7/1965 | Tupper | | D9/344 |
| 3,220,626 A | 11/1965 | Tupper | | D9/344 |
| D206,079 S | 10/1966 | Swett | | D9/344 |
| D239,120 S | 3/1976 | Heyer et al. | | D9/344 |

DESCRIPTION

FIG. 1 is a top, side and front perspective view of a flexible strap handle showing the new design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a right side elevation view thereof;
 FIG. 5 is a left side elevation view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1



FIG. 4



FIG. 5




FIG. 2




FIG. 3




FIG. 6




FIG. 7