



US00D458823S

(12) **United States Design Patent**
Yeh

(10) **Patent No.:** **US D458,823 S**

(45) **Date of Patent:** **** Jun. 18, 2002**

(54) **PAIR OF FOLDABLE PLIERS**

(76) **Inventor:** **Shih-Yuan Yeh**, No. 260, Chen-fu Rd.,
Tai-Ping City, Taichung Hsien (TW)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/149,281**

(22) **Filed:** **Oct. 5, 2001**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/55; D8/105**

(58) **Field of Search** D8/52, 54, 55,
D8/56, 105, 107; 81/342, 367, 370, 418,
420, 424.5, 427.5, 380, 390, 324, 486;
7/125, 127

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,842,997	A	*	7/1958	Wentling	
4,744,272	A	*	5/1988	Leatherman	81/427.5
5,996,451	A	*	12/1999	Seber et al.	81/427.5
D434,632	S	*	12/2000	Tseng	D8/105
D440,141	S	*	4/2001	Yeh	D8/105

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Jackson Walker L.L.P.



(57) **CLAIM**

The ornamental design for a pair of foldable pliers, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pair of foldable pliers showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a perspective view of the pair of the foldable pliers of my new design, wherein the two handles of the pliers are pivoted to a using status; and,
 FIG. 9 is a perspective view of the pair of the foldable pliers of my new design, wherein the two bits are respectively pivoted from the two handles.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9