



US00D458865S

(12) **United States Design Patent**
Beard

(10) **Patent No.:** **US D458,865 S**

(45) **Date of Patent:** **** Jun. 18, 2002**

(54) **COMBINED TRANSMITTER AND RECEIVER FOR AN ALARM UNIT**

D424,467 S * 5/2000 Perez D10/106
D433,645 S * 11/2000 Hanson D10/106

(76) Inventor: **Nancy C. Beard**, 98 N. Sturbridge Rd.,
Charlton, MA (US) 01507

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Marcus A. Jackson
(74) *Attorney, Agent, or Firm*—Gene Scott-Patent Law &
Venture Group

(21) Appl. No.: **29/152,073**

(57) **CLAIM**

(22) Filed: **Oct. 30, 2001**

The ornamental design for a combined transmitter and receiver for an alarm unit, as shown and described.

(51) **LOC (7) Cl.** **10-05**

(52) **U.S. Cl.** **D10/106**

(58) **Field of Search** D10/104, 106,
D10/116, 121; 340/540, 541, 545, 565,
568, 571, 572, 573, 584

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D376,767 S * 12/1996 Duran D10/106
D394,408 S * 5/1998 Davila D10/106
D395,836 S * 7/1998 Morelli, Jr. D10/106

FIG. 1 is a front elevational view of a combined transmitter and receiver for an alarm unit, showing two embodiments of my new design;
FIG. 2 is a rear elevation view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

