



US00D458935S

(12) **United States Design Patent**  
**Hiroki**

(10) **Patent No.:** **US D458,935 S**  
(45) **Date of Patent:** **\*\* Jun. 18, 2002**

(54) **COMMUNICATIONS CARD**

D446,525 S \* 8/2001 Okamoto et al. .... D14/436

(75) Inventor: **Shinichi Hiroki**, Singapore (SG)

**FOREIGN PATENT DOCUMENTS**

(73) Assignee: **Kabushiki Kaisha Toshiba**, Tokyo (JP)

JP 1039177 5/1999  
JP 1090338 11/2000

(\*\*) Term: **14 Years**

**OTHER PUBLICATIONS**

(21) Appl. No.: **29/146,722**

Seiko Instruments Inc., MC-P210, dated Mar. 29, 2000.

(22) Filed: **Aug. 16, 2001**

\* cited by examiner

(30) **Foreign Application Priority Data**

*Primary Examiner*—Kay H. Chin

Feb. 16, 2001 (JP) ..... 2001-003474

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(51) **LOC (7) Cl.** ..... **14-02**

(57) **CLAIM**

(52) **U.S. Cl.** ..... **D14/436**

The ornamental design for a communications card, as shown.

(58) **Field of Search** ..... D14/435-438,  
D14/478, 480; D13/182; 174/16.3, 52.1,  
52.2, 52.4; 257/670, 676, 686, 688, 690,  
691, 692, 696, 703, 781; 437/217; 361/679,  
736, 737, 742, 752; 235/492, 441; 439/353,  
60, 633, 677

**DESCRIPTION**


(56) **References Cited**


FIG. 1 is a front, top and right side perspective view of a communications card, showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevational view thereof; and,  
FIG. 7 is a rear elevational view thereof.

**U.S. PATENT DOCUMENTS**


D320,225 S \* 9/1991 Ido et al. .... D14/436  
D415,132 S \* 10/1999 Homma et al. .... D14/436  
D445,096 S \* 7/2001 Wallace ..... D14/436  
D445,111 S \* 7/2001 Okamoto et al. .... D14/436

**1 Claim, 2 Drawing Sheets**






*Fig. 1*



*Fig. 2*




*Fig. 4*



*Fig. 3*



*Fig. 5*



*Fig. 7*



*Fig. 6*