



US00D459174S

(12) **United States Design Patent**
De Bergen

(10) **Patent No.:** **US D459,174 S**

(45) **Date of Patent:** **** Jun. 25, 2002**

(54) **CUTTING DEVICE**

(75) **Inventor:** **Stephane De Bergen, Villecerf (FR)**

(73) **Assignee:** **LeCreuset S.A., Fresnoy-le-Grand (FR)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/139,311**

(22) **Filed:** **Mar. 28, 2001**

(30) **Foreign Application Priority Data**

Sep. 28, 2000 (GB) 2096186

(51) **LOC (7) Cl.** **07-99**

(52) **U.S. Cl.** **D8/41; D8/98**

(58) **Field of Search** D8/33-43, 18,
D8/19, 98; 30/400-443, 1.5; 81/3.07-3.49;
7/151-156; D21/436, 301; D3/208, 211

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 996,433 A * 6/1911 Stone 81/3.27
- 1,057,492 A * 4/1913 Munzinger 81/3.45 X
- 1,102,124 A * 6/1914 Baptiste 30/1.5
- 1,960,531 A * 5/1934 Driscoll 81/3.4
- 2,439,894 A * 4/1948 Jahn et al. 30/1.5
- 2,566,653 A 9/1951 Callahan et al.
- 3,919,901 A * 11/1975 Braman 81/3.4
- 4,442,735 A * 4/1984 Chance et al. 81/3.44
- D284,635 S * 7/1986 Molnar et al. D8/14
- 4,726,264 A * 2/1988 Bost 81/3.4
- D301,197 S * 5/1989 McClung et al. D8/33
- D302,928 S * 8/1989 Kurtovic D8/33
- D319,957 S * 9/1991 Bergmeister D8/42
- 5,351,579 A 10/1994 Metz et al.
- D366,198 S * 1/1996 Laib D8/42
- 5,483,854 A * 1/1996 King et al. 81/3.4

- D397,922 S * 9/1998 Gort-Barten D8/41
- 5,893,301 A 4/1999 Hensley et al.
- D429,613 S * 8/2000 Chang D8/42
- 6,282,985 B1 * 9/2001 Tseng 81/3.29

FOREIGN PATENT DOCUMENTS

- DE 61883 7/1892
- DE 29 48 225 A1 6/1981
- DE 89 13 678 0 U1 1/1990
- DE 297 11 041 U1 8/1997
- FR 2 648 452 A1 12/1990

OTHER PUBLICATIONS

www.corkscrew.com, last modified Dec. 29, 2001, visited Jan. 9, 2002, screwpull wax remover.*
www.bassins.com, visited Jan. 9, 2001, screwpull wax remover at bottom left.*

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Loren G. Helmreich; Browning Bushman P.C.

(57) **CLAIM**

The ornamental design for a cutting device, as shown and described.

DESCRIPTION

FIG. 1 is a top view of cutting device according to my invention.



FIG. 2 is a bottom view of the device.

FIG. 3 is a front view of the device; and,

FIG. 4 is a back view of the device.

The device includes three legs each of which are identical and equally spaced about the periphery of the device.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 3