



US00D459229S

(12) **United States Design Patent**
Paul

(10) **Patent No.:** **US D459,229 S**
(45) **Date of Patent:** **** Jun. 25, 2002**

(54) **BOTTLE WITH TRIANGULAR BASE**

(75) Inventor: **Duncan John Paul**, Leuven (BE)

(73) Assignee: **The Procter & Gamble Company**, Cincinnati, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/130,192**

(22) Filed: **Sep. 28, 2000**

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529; D9/561**

(58) **Field of Search** D9/300, 504, 510, D9/512, 514, 516, 529, 538, 541, 544, 546, 559, 561, 520, 452, 453; D24/197; 215/6, 10, 381-385, 396, 398, 235

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-------------|---|---------|-----------------|-------|---------|
| D54,244 S | * | 12/1919 | Corey | | D9/514 |
| D153,956 S | * | 5/1949 | Lay | | D9/453 |
| D189,372 S | * | 11/1960 | Adell | | 215/382 |
| 2,960,248 A | * | 11/1960 | Kuhlman | | 215/10 |
| D210,115 S | * | 2/1968 | Armour | | D9/529 |
| D229,723 S | * | 12/1973 | Grimes | | D24/197 |
| D236,685 S | * | 9/1975 | Tripp | | D9/300 |
| D253,032 S | * | 10/1979 | White | | D28/76 |
| D343,580 S | * | 1/1994 | Reynaud | | D9/560 |
| D358,769 S | * | 5/1995 | Luch et al. | | D9/438 |
| 5,651,481 A | * | 7/1997 | Jensen | | 222/566 |
| D387,278 S | * | 12/1997 | Olivares et al. | | D9/541 |
| D418,753 S | * | 1/2000 | DuBow | | D9/447 |
| D422,504 S | * | 4/2000 | Fleishman | | D9/520 |
| D442,090 S | * | 5/2001 | Jackson et al. | | D9/453 |
| D445,678 S | * | 7/2001 | Malmberg | | D9/434 |

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Brian M. Bolam; Thibault Fayette; Kim William Zerby

(57) **CLAIM**

The ornamental design for a bottle with triangular base, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the front side of a bottle with triangular base, embodying the new design, in its three-dimensional position; with the lid closed;

FIG. 2 is a perspective view from the front side of the bottle with triangular base according to FIG. 1, in its three-dimensional position; with the lid open;

FIG. 3 is a perspective view from the back side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 4 is a perspective view from the front side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 5 is a perspective view from the left side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the right side thereof is a mirror image thereof;

FIG. 6 is a perspective view from the right side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the left side thereof is a mirror image thereof;

FIG. 7 is a perspective view from the top of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 8 is a perspective view from the bottom of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 9 is a perspective view of a second embodiment of the present invention from the front side of the bottle with triangular base, according to FIG. 1, in its three-dimensional position; with the lid closed;

FIG. 10 is a perspective view of a second embodiment of the present invention from the front side of a bottle with triangular base, according to FIG. 1, in its three-dimensional position; with the lid open;

FIG. 11 is a perspective view of a second embodiment of the present invention from the back side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;




FIG. 12 is a perspective view of a second embodiment of the present invention from the front side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 13 is a perspective view of a second embodiment of the present invention from the left side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the right side thereof is a mirror image thereof;

FIG. 14 is a perspective view of a second embodiment of the present invention from the right side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the left side thereof is a mirror image thereof;

FIG. 15 is a perspective view of a second embodiment of the present invention from the top of a bottle with triangular base, according to FIG. 1, in its two-dimensional position; and,

FIG. 16 is a perspective view of a second embodiment of the present invention from the bottom of the bottle with triangular base, according to FIG. 1, in its two-dimensional position.

1 Claim, 8 Drawing Sheets




Fig.1.




Fig.2.




Fig.3.




Fig.4.




Fig.5.




Fig.6.




Fig.7.




Fig.8.




Fig.9.




Fig.10.




Fig.11.




Fig.12.




Fig.13.




Fig.14.




Fig. 15.




Fig. 16.