



US00D459229S

(12) **United States Design Patent**
Paul

(10) **Patent No.:** **US D459,229 S**
(45) **Date of Patent:** **** Jun. 25, 2002**

(54) **BOTTLE WITH TRIANGULAR BASE**

(75) Inventor: **Duncan John Paul**, Leuven (BE)

(73) Assignee: **The Procter & Gamble Company**, Cincinnati, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/130,192**

(22) Filed: **Sep. 28, 2000**

(51) **LOC (7) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529; D9/561**

(58) **Field of Search** D9/300, 504, 510, D9/512, 514, 516, 529, 538, 541, 544, 546, 559, 561, 520, 452, 453; D24/197; 215/6, 10, 381-385, 396, 398, 235

(56) **References Cited**

U.S. PATENT DOCUMENTS

D54,244 S	*	12/1919	Corey	D9/514
D153,956 S	*	5/1949	Lay	D9/453
D189,372 S	*	11/1960	Adell	215/382
2,960,248 A	*	11/1960	Kuhlman	215/10
D210,115 S	*	2/1968	Armour	D9/529
D229,723 S	*	12/1973	Grimes	D24/197
D236,685 S	*	9/1975	Tripp	D9/300
D253,032 S	*	10/1979	White	D28/76
D343,580 S	*	1/1994	Reynaud	D9/560
D358,769 S	*	5/1995	Luch et al.	D9/438
5,651,481 A	*	7/1997	Jensen	222/566
D387,278 S	*	12/1997	Olivares et al.	D9/541
D418,753 S	*	1/2000	DuBow	D9/447
D422,504 S	*	4/2000	Fleishman	D9/520
D442,090 S	*	5/2001	Jackson et al.	D9/453
D445,678 S	*	7/2001	Malmberg	D9/434

* cited by examiner

Primary Examiner—Ted Shooman

Assistant Examiner—Carol Rademaker

(74) *Attorney, Agent, or Firm*—Brian M. Bolam; Thibault Fayette; Kim William Zerby

(57) **CLAIM**

The ornamental design for a bottle with triangular base, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the front side of a bottle with triangular base, embodying the new design, in its three-dimensional position; with the lid closed;

FIG. 2 is a perspective view from the front side of the bottle with triangular base according to FIG. 1, in its three-dimensional position; with the lid open;

FIG. 3 is a perspective view from the back side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 4 is a perspective view from the front side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 5 is a perspective view from the left side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the right side thereof is a mirror image thereof;

FIG. 6 is a perspective view from the right side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the left side thereof is a mirror image thereof;

FIG. 7 is a perspective view from the top of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 8 is a perspective view from the bottom of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 9 is a perspective view of a second embodiment of the present invention from the front side of the bottle with triangular base, according to FIG. 1, in its three-dimensional position; with the lid closed;

FIG. 10 is a perspective view of a second embodiment of the present invention from the front side of a bottle with triangular base, according to FIG. 1, in its three-dimensional position; with the lid open;

FIG. 11 is a perspective view of a second embodiment of the present invention from the back side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;




FIG. 12 is a perspective view of a second embodiment of the present invention from the front side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position;

FIG. 13 is a perspective view of a second embodiment of the present invention from the left side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the right side thereof is a mirror image thereof;

FIG. 14 is a perspective view of a second embodiment of the present invention from the right side of the bottle with triangular base, according to FIG. 1, in its two-dimensional position; the perspective view from the left side thereof is a mirror image thereof;

FIG. 15 is a perspective view of a second embodiment of the present invention from the top of a bottle with triangular base, according to FIG. 1, in its two-dimensional position; and,

FIG. 16 is a perspective view of a second embodiment of the present invention from the bottom of the bottle with triangular base, according to FIG. 1, in its two-dimensional position.

1 Claim, 8 Drawing Sheets




Fig.1.




Fig.2.




Fig.3.




Fig.4.




Fig.5.




Fig.6.




Fig.7.




Fig.8.




Fig.9.




Fig.10.




Fig.11.




Fig.12.




Fig.13.




Fig.14.




Fig. 15.




Fig. 16.