



US00D459386S

(12) **United States Design Patent**
Pichler

(10) **Patent No.:** **US D459,386 S**

(45) **Date of Patent:** **** Jun. 25, 2002**

(54) **REPLACEMENT STAMP PAD**

(75) Inventor: **Wolfgang Pichler, Wels (AT)**

(73) Assignee: **Trodats GmbH., Wels (AT)**

(**) Term: **14 Years**

(21) Appl. No.: **29/122,875**

(22) Filed: **May 4, 2000**

(30) **Foreign Application Priority Data**

Nov. 4, 1999 (AT) MU 3970/99
Nov. 4, 1999 (AT) MU 3971/99

(51) **LOC (7) Cl.** **19-02**

(52) **U.S. Cl.** **D18/17**

(58) **Field of Search** D18/14-18; D19/70;
118/264, 268; 101/103, 125, 327, 333,
334, 368, 371-373, 376, 405, 406; D28/78,
83

(56) **References Cited**

U.S. PATENT DOCUMENTS

D93,318 S * 9/1934 Zell
D309,358 S * 7/1990 Machelett et al. D28/78
D367,878 S * 3/1996 Lee et al. D18/17
5,870,953 A * 2/1999 Winston 101/333

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Clare E. Heflin

(74) *Attorney, Agent, or Firm*—Karl Hormann

(57) **CLAIM**

The ornamental design for a replacement stamp pad, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the replacement stamp pad according to my invention with a lid in a partially uplifted position;

FIG. 2 is a front elevation of the replacement stamp pad of FIG. 1;

FIG. 3 is a side elevation of the replacement stamp pad of FIG. 2;

FIG. 4 is a planar top view of the replacement stamp pad of FIG. 2;


FIG. 5 is a front perspective view of an alternate embodiment of the stamp pad of my invention;

FIG. 6 is a front elevation of the replacement stamp pad of FIG. 5;

FIG. 7 is a side elevation of the replacement stamp pad of FIG. 5; and,

FIG. 8 is a planar top view of the replacement stamp pad of FIG. 5.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8