



US00D459391S

(12) **United States Design Patent** (10) **Patent No.:** **US D459,391 S**
Huang (45) **Date of Patent:** **** Jun. 25, 2002**

(54) **RINGBINDER**

(75) Inventor: **Chiwu Huang**, Taipei (TW)

(73) Assignee: **Beautone Co., Ltd.**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/152,059**

(22) Filed: **Dec. 10, 2001**

(51) **LOC (7) Cl.** **19-04**

(52) **U.S. Cl.** **D19/27**

(58) **Field of Search** D19/26, 27, 32,
D19/33; D3/303, 900; 190/127; 402/79,
80 R; 281/15.1, 19.1, 21.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

D406,603 S * 3/1999 Karten D19/27
D413,922 S * 9/1999 Thomas D19/26
D435,269 S * 12/2000 Karten et al. D19/27
D435,591 S * 12/2000 Wyant D19/27

D435,863 S * 1/2001 Eskandry D19/27

* cited by examiner

Primary Examiner—Paula A. Mortimer

(74) *Attorney, Agent, or Firm*—Volpe and Koenig, P.C.

(57) **CLAIM**

The ornamental design for a ringbinder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing a ringbinder of the present design;

FIG. 2 is a right side view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;


FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side view thereof; and,

FIG. 7 is a rear elevational view thereof.

The broken line showing of the binder mechanism in FIGS. 2,3,5,6, and 7 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7