



US00D459395S

(12) **United States Design Patent**
Noguchi

(10) **Patent No.:** **US D459,395 S**
(45) **Date of Patent:** **** Jun. 25, 2002**

(54) **FASTENER**

(75) **Inventor:** **Kanji Noguchi, Tokyo (JP)**

(73) **Assignee:** **Shilogane Kasei Co., Ltd., Tokyo (JP)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/137,189**

(22) **Filed:** **Feb. 14, 2001**

(51) **LOC (7) Cl.** **19-02**

(52) **U.S. Cl.** **D19/65; D19/86**

(58) **Field of Search** D19/65, 75, 86,
D19/99, 100; 402/8, 14, 15, 16, 17, 18,
60, 62, 63, 64, 68, 80 R; 24/67 R, 67.1-67.11,
67 CF, DIG. 11

(56) **References Cited**

U.S. PATENT DOCUMENTS

709,559 A * 9/1902 Schmidmer 402/14
785,911 A * 3/1905 Nold 402/15
1,222,076 A * 4/1917 Cooke, Jr. 402/17
1,991,318 A * 2/1935 Hellman 402/17

2,015,461 A * 9/1935 Rand 402/16
2,265,404 A * 12/1941 Stark 402/14
D136,017 S * 7/1943 Pollock D19/65
3,635,568 A * 1/1972 Dalferes 402/17
4,084,911 A * 4/1978 DeWitt 402/15
5,720,565 A * 2/1998 Benson 402/8

* cited by examiner

Primary Examiner—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—Niels & Lemack

(57) **CLAIM**

The ornamental design for a fastener, as shown.

DESCRIPTION

FIG. 1 is top view of the fastener of the present invention;
FIG. 2 is a bottom view of the fastener of the present
invention;

FIG. 3 is a right side view of the fastener of the present
invention;

FIG. 4 is a left side view of the fastener of the present
invention; and,

FIG. 5 is an end view of the fastener of the present invention.

1 Claim, 2 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5

